


Circulation of this edition outside the Indian subcontinent is **UNAUTHORIZED**



Fifth Edition

# Computer Networking and the Internet

Fred Halsall • Lingana Gouda Kulkarni



ALWAYS LEARNING

PEARSON



Authorized adaptation from the United Kingdom edition, entitled *Computer Networking and the Internet, 5th Edition*, ISBN: 9780321263582 by Halsall, Fred, published by Pearson Education Limited, Copyright © 2005

Indian Subcontinent Adaptation

Copyright © 2007 Dorling Kindersley (India) Pvt. Ltd

This edition is published by arrangement with Pearson Education Limited, United Kingdom.

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, resold, hired out or otherwise circulated without the publisher's prior written consent in any form of binding or cover other than that in which it is published without a similar condition including this condition being imposed on subsequent purchaser and without limiting the rights under copyright reserved above, no part of this publication may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopying, recording or otherwise), without the prior written permission of both the copyright owner and above-mentioned publisher of this book.

ISBN 978-81-7758-475-2

First Impression, 2007

*This edition is manufactured in India and is authorized for sale only in India, Bangladesh, Bhutan, Pakistan, Nepal, Sri Lanka and the Maldives.*

Published by Dorling Kindersley (India) Pvt. Ltd., licensees of Pearson Education in South Asia.

Head Office: 7th Floor, Knowledge Boulevard, A-8(A), Sector-62, Noida – 201309, U.P, India.

Registered Office: 11 Community Centre, Panchsheel Park, New Delhi 110 017, India.

Digitally Printed in India by Saurabh Printers Pvt. Ltd. in the year of 2013.

## Contents

Preface	xiii
Guided Tour	xvii
Acknowledgments	xix
Acronyms	xxi
<b>Chapter 1 Data communications and networking basics</b>	<b>1</b>
1.1 Overview	1
1.2 Application and networking terminology	3
1.2.1 Data types and their characteristics	4
1.2.2 Data communications and networking terminology	7
1.2.3 Network types	8
1.2.4 Network QoS	13
1.2.5 Application QoS	17
1.3 Digital communications basics	20
1.3.1 Transmission media	25
1.3.2 Transmission control schemes	33
1.4 Protocol basics	50
1.4.1 Error control	50
1.4.2 Idle RQ	51
1.4.3 Continuous RQ	55
1.4.4 Flow control	62
1.4.5 Sequence numbers	63
1.4.6 Layered architecture	64
1.4.7 Protocol specification	67
1.4.8 User service primitives	72
1.4.9 The HDLC protocol	76
1.5 Protocol stacks	79
1.5.1 The Internet protocol stack	81
Summary	84
Exercises	85
<b>Chapter 2 Telephone networks and modems</b>	<b>89</b>
2.1 Introduction	89
2.2 Transmission systems	93
2.2.1 Analog subscriber lines	94
2.2.2 PSTN modems	98
2.2.3 Digital subscriber lines	110
2.2.4 Plesiochronous digital hierarchy	121
2.2.5 Synchronous digital hierarchy	125
2.3 Access network signaling	127
2.3.1 Analog access circuits	127
2.3.2 ISDN digital access circuits	131
2.4 Trunk network signaling	133

2.5	Broadband modems	135
2.5.1	ADSL	136
2.5.2	VDSL	141
2.6	Internet service providers	141
2.6.1	Home and small office users	142
2.6.2	Business users	144
2.6.3	Broadband modems	144
2.6.4	The PPP link layer protocol	147
2.6.5	ISP networks and the Internet	151
	Summary	153
	Exercises	154
<b>Chapter 3</b>	<b>Local area networks and intranets</b>	<b>158</b>
3.1	Introduction	158
3.2	Ethernet/IEEE802.3	160
3.2.1	CSMA/CD	161
3.2.2	Wiring configurations	164
3.2.3	Frame format and operational parameters	166
3.2.4	Frame transmission and reception	168
3.3	LAN interconnection technologies	168
3.3.1	Repeater hubs	170
3.3.2	Bridging hubs	171
3.3.3	Switching hubs	174
3.4	High-speed LANs	176
3.4.1	Fast Ethernet	176
3.4.2	Switched Fast Ethernet	184
3.4.3	Gigabit Ethernet	187
3.5	Virtual LANs	190
3.5.1	IEEE802.1Q	191
3.6	LAN protocols	195
3.6.1	Physical layer	196
3.6.2	MAC sublayer	197
3.6.3	LLC sublayer	198
3.6.4	Network layer	199
3.7	Multisite LAN interconnection technologies	201
3.7.1	Intersite gateways	201
3.7.2	ISDN switched connections	203
3.7.3	Frame relay	205
3.7.4	High bit rate leased lines	208
3.7.5	Metropolitan area networks	211
	Summary	213
	Exercises	214
<b>Chapter 4</b>	<b>The Internet protocol</b>	<b>217</b>
4.1	Introduction	217
4.2	IP datagrams	221
4.3	Fragmentation and reassembly	224
4.4	IP addresses	226
4.4.1	Class-based addresses	227
4.4.2	Subnetting	230

4.4.3	Classless addresses	231
4.4.4	Network address translation	233
4.5	Routing algorithms	236
4.5.1	Static routing	238
4.5.2	Flooding	239
4.5.3	Distance vector routing	240
4.5.4	Link-state shortest-path-first routing	243
4.5.5	Tunneling	250
4.5.6	Broadcast routing	252
4.6	Routing in the Internet	256
4.6.1	Internet structure and terminology	256
4.6.2	ARP and RARP	260
4.6.3	DHCP	264
4.6.4	OSPF	266
4.6.5	BGP	271
4.6.6	Multicast routing	274
4.6.7	IGMP	280
4.6.8	M-bone	283
4.6.9	ICMP	283
4.6.10	Mobile IP	288
4.7	QoS support	292
4.7.1	Integrated services	293
4.7.2	Differentiated services	298
4.7.3	MPLS	299
4.8	IPv6	306
4.8.1	Datagram format	307
4.8.2	Address structure	310
4.8.3	Extension headers	315
4.8.4	Autoconfiguration	321
4.9	IPv6/IPv4 interoperability	322
4.9.1	Dual protocols	322
4.9.2	Dual stacks and tunneling	323
4.9.3	Translators	325
	Summary	327
	Exercises	328
<b>Chapter 5</b>	<b>Transport protocols</b>	<b>334</b>
5.1	Introduction	334
5.2	TCP/IP protocol suite	335
5.3	TCP	337
5.3.1	User services	338
5.3.2	Protocol operation	343
5.3.3	Additional features	366
5.3.4	Protocol specification	376
5.4	UDP	377
5.4.1	User services	380
5.4.2	Protocol operation	382
5.5	RTP and RTCP	384
5.5.1	RTP	384
5.5.2	RTCP	386

5.6	Wireless TCP	388
5.6.1	Indirect TCP	388
5.6.2	Snooping TCP	389
5.6.3	TCP over cellular radio networks	390
	Summary	392
	Exercises	393
<b>Chapter 6</b>	<b>Internet applications</b>	397
6.1	Introduction	397
6.2	Domain name system	398
6.2.1	Name structure and administration	398
6.2.2	DNS resource records	401
6.2.3	DNS query messages	402
6.2.4	Name servers	403
6.2.5	Service requests	404
6.3	Electronic mail	409
6.3.1	Structure of e-mail messages	411
6.3.2	Message content	414
6.3.3	Message transfer	418
6.3.4	E-mail gateways	424
6.4	FTP	425
6.4.1	Overview	426
6.4.2	File content representation	426
6.4.3	FTP operation	426
6.4.4	Command and reply message format	428
6.4.5	Example	428
6.4.6	Anonymous FTP	430
6.5	TFTP	430
6.5.1	Protocol	432
6.6	Internet telephony	435
6.6.1	SIP	435
6.6.2	SDP	439
6.6.3	GLP	439
6.6.4	H.323	441
6.7	SNMP	447
6.7.1	Structure of management information	449
6.7.2	Protocol	452
	Summary	455
	Exercises	456
<b>Chapter 7</b>	<b>Wireless networks</b>	460
7.1	Introduction	460
7.2	Bluetooth	463
7.2.1	Radio interface	463
7.2.2	Configurations and terminology	465
7.2.3	Baseband packet transmissions	467
7.2.4	Baseband packet formats	468
7.2.5	Error control	471
7.2.6	The link manager protocol and establishing a piconet	472
7.2.7	L2CAP	473
7.2.8	Service discovery protocol	475

7.2.9	Protocol stack and application profiles	475
7.2.10	IEEE802.15	476
7.3	Wireless LANs	477
7.3.1	Wireless media	478
7.3.2	MAC sublayer protocol	480
7.4	Cellular radio networks	493
7.4.1	Functional architecture of GSM	494
7.4.2	Functional architecture of GSM/GPRS	497
7.4.3	Functional architecture of UMTS	498
	Summary	502
	Exercises	503
<b>Chapter 8</b>	<b>Entertainment networks</b>	505
8.1	Introduction	505
8.2	Cable television networks	506
8.2.1	HFC networks	509
8.2.2	Cable modems	513
8.2.3	MMDS and LMDS	531
8.2.4	IEEE802.16	533
8.3	Satellite television networks	537
8.3.1	Broadcast television principles	537
8.3.2	Digital television	543
8.3.3	Interactive services	546
	Summary	548
	Exercises	548
<b>Chapter 9</b>	<b>The World Wide Web</b>	552
9.1	Introduction	552
9.2	Overview	553
9.2.1	Information browsing	553
9.2.2	Electronic commerce	556
9.2.3	Intermediate systems	557
9.2.4	Java and JavaScript	559
9.3	URLs and HTTP	561
9.3.1	URLs	561
9.3.2	HTTP	564
9.4	HTML	570
9.4.1	Text format directives	571
9.4.2	Lists	574
9.4.3	Color	575
9.4.4	Images and lines	576
9.4.5	Tables	579
9.4.6	Forms and CGI scripts	582
9.4.7	Web mail	585
9.4.8	Frames	586
9.4.9	Extended HTML	590
9.5	Java and JavaScript	590
9.5.1	Java	591
9.5.2	JavaScript	593

9.6	Audio and video	596
9.6.1	Streaming using a Web server	598
9.6.2	Streaming servers and RTSP	600
9.7	Wireless Web	604
9.7.1	WAP 2.0	604
9.8	Web operation	604
9.8.1	Search engines	605
9.8.2	Portals	607
	Summary	609
	Exercises	610
<b>Chapter 10</b>	<b>Security</b>	
10.1	Introduction	614
10.2	Data encryption	615
10.2.1	Terminology	615
10.2.2	Basic techniques	616
10.2.3	The data encryption standard	619
10.2.4	IDEA	626
10.2.5	The RSA algorithm	626
10.3	Nonrepudiation	630
10.4	Authentication	632
10.4.1	Using a public key system	632
10.4.2	Using a private key system	633
10.5	Public key certification authorities	636
10.6	E-mail privacy	637
10.7	Network security	640
10.7.1	IP security	641
10.7.2	Security in wireless networks	644
10.8	Web security	647
10.8.1	SSL	648
10.8.2	SET	650
	Summary	653
	Exercises	654
	Bibliography and further reading	657
	Index	663

## Supporting resources

Visit [www.pearsoned.co.in/fredhalsall](http://www.pearsoned.co.in/fredhalsall) to find valuable online resources

### Companion Website for instructors

- The Companion Website provides the appendices listed below.

**Appendix A** Multimedia data representation and companion

**Appendix B** Error detection methods

**Appendix C** Forward error control

**Appendix D** Radio propagation and transmission basics

**Appendix E** ATM networks in the Internet backbone

- PowerPoint slides containing all the diagrams from the text that can be downloaded and used as OHTs.

For more information please contact your local Pearson Education sales representative or visit [www.pearsoned.co.in/fredhalsall](http://www.pearsoned.co.in/fredhalsall)

- Rivest R.L. et al. (1978). On a method for obtaining digital signatures and public key cryptosystems. *Communications of the ACM*, February
- Rivest R.L. (1992). *The MD5 Message Digest Algorithm*, April (RFC 1321)
- Kohl J. and Neuman B.C. (1993). *The Kerberos Network Authentication Service*, September (RFC 1510)
- Maughan D. et al. (1998). *Internet Security Association and Key Management Protocol (ISAKMP)*, November (RFC 2408)
- Kent S. (1993). *Certificate-based Key Management*, February (RFC 1422)
- Mullins J. (2002). Making unbreakable code. *IEEE Spectrum*, May
- Nichols R.K. and Lekkas P.C. (2002). *Wireless Security*. McGraw-Hill
- Perlman R. and Kaufman C. (2000). Key exchange in IPSec. *IEEE Internet Computing*, November–December
- Schneier B. (1996). *Applied Cryptography* 2nd edn. Wiley
- Schneier B. (1995). *E-Mail Security*. Wiley
- Zimmermann P.R. (1995). *The Official PGP User Guide*. MIT Press
- Ziv J. and Lempel Z. (1997). A universal algorithm for sequential data compression. *IEEE Transactions on Information Theory*, Vol. IT-23, May
- Stinson D.R. (2002). *Cryptography Theory and Practice* 2nd edn. CRC Press

## Index

- abortive release 366
- ABR (area border router) 268, 301–303
- absolute domain names 401
- absolute URLs 574
- access gateways 217
- access network signalling 127–133
- access points (APs) 462, 492
- ACK-frames 50–60, 471, 484, 485
- ACL (asynchronous connectionless link) 467
- active close procedure 361
- active member addresses (AMAs) 465
- active slave (AS) devices 465, 466
- adaptive cancelers 33, 34, 115
- adaptive routing algorithms 239
- add-drop multiplexers (ADM)s 123, 124
- address classes 227
- address masks 231
- address resolution protocol (ARP) 219, 220, 260–264
- ad-hoc wireless LANs 478
- adjunct protocols 219
- ADSL (asymmetric DSL) 136–141
- agent solicitation 291
- AH protocol 641
- alternate mark inversion (AMI) 117
- alternate space inversion (ASI) 112
- alternating bit protocol 53
- AMAs (active member addresses) 465
- American Standard Code for Information Exchange (ASCII) 33–35, 47; *see also* network virtual terminal
- amplitude shift keying (ASK) 100
- analog access circuits 127–131
- analog subscriber lines 94, 95
- analog-to-digital converters (ADC) 5
- anonymous FTP 430
- antennas 29, 539–541
- anycast addresses 313
- applets 559
- application layer (of the Internet) 83
- application level gateway (ALG) 326
- area border router (ABR) 268, 301–303
- ARP (address resolution protocol) 219, 220, 260–264
- ASCII *see* American Standard Code for Information Exchange
- ASK (amplitude shift keying) 100
- asymmetric DSL (ADSL) 136–141
- asynchronous connectionless link (ACL) 467
- asynchronous transfer mode (ATM) 13
- asynchronous transmission 8, 33–36
- AT command protocol 476
- attempt limits 164, 484
- attenuation 23, 25
- audio 5, 6, 441, 596–603
- authenticated links 149
- authentication 318–320, 614, 615, 632–636, 648
- authentication centres 497
- authentication databases 633
- Authentication Header protocol 641
- authentication servers 633
- authentication tickets 634
- authenticators 635
- authoritative records 403
- autoconfiguration 321, 322
- automatic repeat request (ARQ) schemes 50
- autonomous systems 258
- B-channel 110
- BA classifier 299
- backbone networks 151
- backbone routers 266
- backoff timer 484
- backoff window 521
- backward explicit congestion notification (BECN) bit 206
- balanced codes 43
- bandsplitting filters 512

- Postel J. and Reynolds J. (1985). *The File Transfer Protocol (FTP)*, October (RFC 959)
- Davidson J. and Peters J. (2000). *Voice-over IP Fundamentals*, Cisco Press
- Deering S.E. (1993). SIP: Simple Internet Protocol. *IEEE Network Magazine*, May-June
- Kumar V. et al. (2001). *IP Telephony with H.323*. Wiley
- Wright D.J. (2001). *Voice Over Packet Networks*. Wiley
- Morgan S. (1998). The Internet and the local telephone network: conflicts and opportunities. *IEEE Communications Magazine*, January
- Stallings W. (1993). *SNMP, SNMPv2, and CMIP*. Addison-Wesley
- McCloghrie K. and Rose M.T. (1991). *MIBII for Network Management of TCP/IP Internets*, March (RFC 1213)

### Chapter 7

- Schiller J. (2003). *Mobile Communications* 2nd edn. Addison-Wesley
- Bhagwat P. (2001). Bluetooth: technology for short-range wireless applications. *IEEE Internet Computing*, May-June
- Bisdikian C. (2001). An overview of the Bluetooth wireless technology. *IEEE Communications Magazine*, December
- Bray J. and Sturman C.F. (2002). *Bluetooth 1.1: connect without cables* 2nd edn. Prentice Hall
- Chen K.C. (1994). Medium Access Control of wireless LANs for mobile computing. *IEEE Network Magazine*, September-October
- Bluetooth (2001). *Specification of the Bluetooth System Vol. 2*. Bluetooth Special Interest Group (SIG), version 1.1
- Bluetooth (2002). *Bluetooth Special Interest Group*. <http://www.bluetooth.com/>
- Crow B.P. et al. (1997). IEEE802.11 Wireless local area networks. *IEEE Communications Magazine*, September
- Doufexi A. et al. (2002). A comparison of the Hiperlan/2 and IEEE802.11a wireless LAN standards. *IEEE Communications Magazine*, May
- Kapp S. (2002). 802.11: leaving the wire behind. *IEEE Internet Computing*, January-February
- Lansford J. et al. (2001). WiFi (802.11b) and Bluetooth: enabling coexistence. *IEEE Network Magazine*, September-October
- Perkins C.E. (2001). *Ad Hoc Networking*. Addison-Wesley
- Ohara B. and Petrick A. (1999). *802.11 Handbook: a designers companion*. IEEE Press
- GSM Association (2002). <http://gsmworld.com/>
- ETSI (1997). *High-speed Circuit Switched Data (HSCSD), Stage 1*. European Telecommunications Standards Institute (ETSI) (GSM 02.34, V5.2.1)
- Brasche G. et al. (1997). Concepts services and protocols of the new GSM phase2+ General Packet Radio Service (GPRS). *IEEE Communications Magazine*, 35(8)
- Collins D. and Smith C. (2001). *3G Wireless Networks*. McGraw-Hill
- Ahmavara K. et al. (2003). Interworking architecture between 3GPP and WLAN systems. *IEEE Communications Magazine*, November
- Wong K.D. et al. (2003). Supporting real-time IP multimedia services in UMTS. *IEEE Communications Magazine*, November

### Chapter 8

- IEEE (1997). *IEEE Network: special issue on broadband services over residential networks*. January
- Bisdikian C. et al. (1996). Residential broadband data services over HFC networks. *IEEE Communications Magazine*, November

- Pugh W. and Boyer G. (1995). Broadband access: comparing alternatives. *IEEE Communications Magazine*, August
- Khasnabish B. (1997). Broadband to the home: architectures and access methods. *IEEE Network Magazine*, January
- Lin Y.D. (1998). The IEEE802.14 MAC protocol. *IEEE Communications Surveys*, October
- Cable Television Laboratories Inc. *Data-over-cable Service Interface Specification*. <http://www.cablemodem.com>
- Kiniry J.R. and Metz C. (1998). Cable modems: cable TV delivers the Internet. *IEEE Internet Computing*, May
- Droms R. (1997). *Dynamic Host Configuration Protocol (DHCP)*, March (RFC 2131)
- Paff A. (1995). Hybrid fiber/coax in the public telecommunications infrastructure. *IEEE Communications Magazine*, April
- Benoit H. (1999). *Satellite Television: techniques of analog and digital television*. Arnold
- Donaldson G. and Jones D. (2001). Cable television network architectures. *IEEE Communications Magazine*, June

### Chapter 9

- Berners-Lee T. et al. (1994). The World Wide Web. *Communications of the ACM*, Vol. 37, August
- Vetters R.J. et al. (1994). Mosaic and the World Wide Web. *IEEE Computer*, October
- World Wide Web Consortium home page: <http://www.w3.org>
- Khare R. (1999). Anatomy of a URL. *IEEE Internet Computing*, September
- Berners-Lee T. et al. (1996). *Hypertext Transfer Protocol, HTTP/1.0*, May (RFC 1945)
- Fielding R. et al. (1997). *Hypertext Transfer Protocol, HTTP/1.1*, January (RFC 2068)
- Cheswick W.R. and Bellovin S.M. (1994). *Firewalls and Internet Security*. Addison-Wesley
- Baentsch M. et al. (1997). Web caching: the application-level view of the Internet. *IEEE Communications Magazine*, June
- Luotoren A. and Altis K. (1994). World Wide Web proxies. *Computer Networks and ISDN*, November
- Berghel H.L. (1996). The client side of the Web. *Communications of the ACM*, January
- Kwan T.T. et al. (1995). NCSA's WWW server: design and performance. *IEEE Computer*, November
- Meyers P. (1998). *The HTML Web Classroom*. Prentice Hall
- Bryan M. (1997). *SGML and HTML Explained*. Addison-Wesley
- Rule J. (1999). *Dynamic HTML*. Addison-Wesley
- Castro E. (1997). *Perl and CGI for the World Wide Web*. Addison-Wesley
- Schulzrinne H. et al. (1998). *Real-time Streaming Protocol (RTSP)*, April (RFC 2326)
- Campione M. and Walrath K. (1996). *The Java Language Tutorial*. Addison-Wesley
- Arnold K. and Gosling J. (1996). *The Java Programming Language*. Addison-Wesley
- Van der Linden P. (1996). *Just Java*. Prentice Hall

### Chapter 10

- Kaufman C. et al. (2002). *Network Security* 2nd edn. Prentice Hall
- Netscape (1998). *Introduction to Public Key Cryptography*. Netscape Communications Corporation
- Kaufman C. et al. (1995). *Networking Security: private communications in a public world*. Prentice Hall
- Kummert H. (1998). *The PPP Triple-DES Encryption Protocol*, September (RFC 2420)

- bandwidth product 31
- bandwidth request frame 536
- base-64 encoding 418
- base station controller (BSC) 495
- base transceiver subsystem (BTS) 494
- baseband transmission 21–24, 467–471, 534, 535
- basic input-output software (BIOS) 66
- basic service set (BSS) 492
- baud rate 100
- beacon frames 489
- bearers 110
- BECN bit 206
- behaviour aggregates 298
- best-effort service 13, 14, 24, 83, 294, 536
- BGP (border gateway protocol) 258, 271–273
- bidirectional amplifiers 512
- binary exponential backoff 484
- BIOS (basic input-output software) 66
- bipolar and eight zeros substitution 117
- bit error rate (BER) 14, 15
- bit interleaving 121
- bit-oriented transmission 48–50
- bit rate 5–8, 13–17, 25–28, 92, 159, 160, 505, 535
- bit stuffing 49, 125
- bit synchronization 24, 25, 36, 41, 47
- block ciphers 619
- block error rate 16
- block synchronism 24
- Bluetooth technology 53, 461–477, 647
- bonding 205
- border gateway protocol (BGP) 258, 271–273
- breakout gateway control functions 500
- bridges and bridge ports 159, 171–174
- bridging hubs 171–174, 179
- broadband modems 92, 135–142, 144–147
- broadband wireless 533
- broadcast mode 7, 9, 161, 537–543, 252–256
- browsing and browsers 553–556
- buffering 18, 19, 37
- byte interleaving 121
- byte stuffing 41, 149
- bytecode 560, 591
- cable headend units 506
- cable intranets 530, 531
- cable MAC 516, 523
- cable modems 17, 18, 506, 513–531
  - termination system 514–516
- cable replacement protocol 475
- cable television 26, 506–537
- CAC (channel access code) 468
- call accepted and call clear packets 12
- call request packets 12
- call/session control function (CSCF) 500
- call setup (for Internet telephony) 443–445
- canonical format identifier (CFI) 192
- care-of-address (COA) 289
- carrier extension 188
- carrier-sense multiple access with collision avoidance (CSMA/CA) 482–485
- carrier-sense multiple-access with collision detection (CSMA/CD) 159–168
- carrier signals 21, 100
- CAS (channel associated signalling) 131
- class-based addresses 226
- classless addresses 227
- CATV (community antenna television) networks 506–509
- CBC (chain block cipher) 623, 624
- CBQ (class-based queuing) 300, 301
- CBR (constant bit rate) 6
- CCA (clear channel assessment) 482
- CCS (common channel signalling) 135
- cell switching 13
- cellular radio networks 390, 391, 462–465, 493–501
- certification authorities (CAs) 636, 637
- CFI (canonical format identifier) 192
- CFM (cipher feedback mode) 624, 625
- CGI (common gateway interface) 557
  - scripts 582–586
- chain block cipher (CBC) 623, 624
- chainig of cipher blocks 623, 624
- challenge frames 490
- channel access code (CAC) 468
- channel associated signalling (CAS) 131
- channel identifier (CID) 474
- channel interface 543–545
- character-oriented transmission 47
- character stuffing 41, 48, 49
- character synchronization 24, 37, 41, 47, 48
- characteristic impedance 112
- choice permutation 618

- CID (channel identifier) 474
- CIDR (classless inter-domain routing) 231
- cipher feedback mode (CFM) 624, 625
- ciphertext 615, 616
- CIR (committed information rate) 208
- circuit-switched networks 8–10, 14–18, 91–93
- class-based addresses 227
- class-based queuing (CBQ) 300, 301
- classful addressing 227
- classless addressing 231–233
- classless inter-domain routing (CIDR) 231
- clear channel assessment (CCA) 482
- clear-to-send (CTS) control frame 485
- CO (connection-oriented) networks 10–14
- coaxial cable 25, 26
- code efficiency (in forward error control) 747
- codec delays 15
- code-excited linear prediction (CELP) model 711
- collisions and collision detection 161–164, 180
- commands and command frames 76–78
- committed information rate (CIR) 208
- common channel signalling (CCS) 135
- common gateway interface (CGI) 557
  - scripts 582–586
- common-mode rejection 112
- community antenna television (CATV) 506–509
- compressed permutations 618
- compression 3–6
- conditional access 547
- conditional GET messages 568–570
- congestion and congestion control 208, 358–362
- connection identifiers 535
- connection-oriented (CO) networks 10–14
- connectionless broadband data service (CBDS) 211
- connectionless (CL) networks 10–13, 17
- consolidated link layer management 208
- constant bit rate (CBR) 6
- constellation diagrams 103
- constraint routed LDP 305
- constraint routed LSP 305
- contention window (CW) 483
- continue frames 186
- continuous data streams 6
- continuous RQ 55–62
- control token methodology 159
- controlled load service 294
- convergence sublayer (CS) 196
- convolutional codes and encoders 544, 545
- country domains 400
- crosstalk 32, 33
- cryptographic algorithms 648
- cryptographic libraries 647
- CSCF (call/session control function) 500
- CSMA (carrier-sense multiple access) 159–164, 482–485
- customer interface equipment (CIE) 205
- customer premises equipment (CPE) 513
- customer premises network (CPN) 516
- cut-through switches 176
- D-channel 110
- DAC *see* device address code; digital-to-analog converter
- daemons 566
- data circuit-determining equipment 104
- data encryption 615–630
- data link connection identifiers 205
- data link layer 535, 536
- data-over-cable service interface specification (DOCSIS) 514
- data types 4–7
- database descriptions 271
- datagram format 307–310
- datagram routing procedures 247–249
- DB25 connectors 104
- DC balance 178
- DCF inter-frame spacing (DIFS) 482
- DSCP (differentiated services packet codepoint) 299
- decryption 615
- delay times 13–20, 30, 31
- delayed acknowledgements 350, 355
- demodulators 98
- DES (data encryption standard) 619–626
- designated ports 256
- designated routers 271
- destination addresses 310
- destination options 321
- device address code (DAC) 469, 473



- DGCP *see* dynamic host configuration protocol  
dial-up networking 476  
dictionary-based compression 639  
differential line driver and receiver  
  circuits 112  
differential PSK 100  
differentiated services 298, 299  
DIFS (DCF inter-frame spacing) 482  
digital communication, principles of 20–50  
digital phase-lock-loop *see* DPLL  
digital satellites 543  
digital signatures 630  
digital subscriber line (DSL) technology 92,  
  110–121, 135–141  
digital television 543–545  
digital-to-analog converter (DAC) 6  
digitization 4, 5  
direct current (DC) balance 178  
directed graphs 268  
DISC frames 76  
discard eligibility (DE) bit 206  
discrete multitone (DMT) 139  
dispersion in optical fibre 27  
distance vector multicast routing protocol  
  (DVMRP) 277, 278  
distance vector routing 240–243  
distortion of electrical signals 21  
distributed coordination function (DCF)  
  482–486  
distribution amplifiers 506  
Dijkstra algorithm 243–247  
DNS *see* domain name servers; Domain Name  
  System  
DOCSIS (data-over-cable service interface  
  specification) 514  
domain name servers 501  
Domain Name System 398–409  
domain nodes 399  
domains of the Internet 554  
dotted decimal notation 229  
downloading 6  
downstream maps 535  
downstream transmission convergence (DSTC)  
  sublayer 527, 528  
DPLL (digital phase-lock-loop) 41, 44–46, 49  
drop-and insert multiplexers 123  
drop cables 506
- DS1 circuits 121  
DSS1 (digital subscriber signalling no. 1) 131  
DSTC (downstream transmission convergence)  
  sublayer 527, 528  
DTMF keying 94  
dual amplifiers 512  
dual protocols and dual stacks (in IP) 322–324  
dual-tone multi-frequency (DTMF) keying 94  
duplex transmission 7, 8, 140, 141  
DVMRP (distance vector multicast routing  
  protocol) 277, 278  
dynamic host configuration protocol (DHCP)  
  264–266, 321, 322, 501, 516  
dynamic routing algorithms 239  
dynamic Web pages 590
- E-bits 114  
e-commerce 556, 557  
e-mail 409–425  
  gateways 424, 425  
  message content 414–420  
  message transfer 418–424  
  privacy 637–640  
  structure of messages 411–413  
  *see also* Web mail  
E1 circuits 121  
eavesdropping 615  
ECB *see* electronic code book; event control  
  blocks  
echo signals and echo cancelers 96, 115  
ECN (explicit congestion notification) 391  
edge gateways 211  
EIR (equipment identity register) 497  
electronic code book (ECB) 623, 624  
electronic commerce 556, 557  
electronic mail *see* e-mail  
EMS (enhanced message service) 494  
encapsulated security payload (ESP) 318–320,  
  643, 644  
encapsulation 593  
encryption 320, 557  
Encryption Security Payload (ESP) 641  
end-of-stream (EOS) code 180–182  
enhanced message service (EMS) 494  
enterprise networks 1–3, 159  
entertainment networks 3  
EOS (end-of-stream) code 180–182

- ephemeral ports 336  
equipment identity register (EIR) 497  
error control 24, 50, 471  
ESP *see* encapsulated security payload;  
  Encryption Security Payload  
Ethernet 159–168  
  wiring configurations 164–166  
  *see also* Fast Ethernet; Gigabit Ethernet  
ETX (end-of-text) character 39, 40, 47  
event control blocks (ECBs) 66, 199  
event handlers 595, 596  
exchange identification (XID) 129  
expanded permutations 617  
expedited data 345  
expedited forwarding (EF) 299  
explicit congestion notification (ECN) 391  
exponential backoff 354  
extended event-state tables 68–73  
extended HTML 590  
extensible markup language (XML) 590  
extensible style language (XSL) 590  
extension headers 315–321
- F-bits 119  
FAs (foreign agents) 288  
FAS (frame alignment signal) 119  
Fast Ethernet 176–184, 196  
  switched 184–186  
fast packet switching 13  
fast recovery 361  
fast retransmit 353  
fault management 447  
FDD (frequency division duplexing) 534  
FDM (frequency division multiplexing) 506  
FEC (forward equivalent class) 303  
FECN (forward explicit congestion  
  notification) bit 206  
Feistel cipher 621  
FHSS (frequency-hopping spread spectrum) 463  
fibre node (FN) units 510  
fibre optics 137  
FIFO (first-in-first-out) queuing discipline 18,  
  66, 175  
file transfer protocol (FTP) 397, 425–431  
  anonymous 430  
  command and reply message format 428, 429  
  operation 426, 427  
  filtering 173  
  finite state machines 67  
  firewalls 210, 558  
  first-in-first-out queuing (FIFO) discipline 18,  
  66, 175  
  flag byte or flag pattern 49  
  flooding 174, 239, 240  
  flow control 62  
  flow label (in datagram format) 309  
  FN (fibre node) units 510  
  footprints of satellites 542  
  foreign agents (FAs) 288  
  formatted text 5  
  forward equivalent class (FEC) 302  
  forward explicit congestion notification  
  (FECN) bit 206  
  forwarding databases 173  
  FQDN (fully qualified domain names) 401  
  FRA (frame relay adapter) 210  
  fragment burst 488  
  fragmentation 219, 224–226, 318, 319, 522–525  
  frame alignment signal (FAS) 119  
  frame bursting 188  
  frame formats (cable TV) 521, 536, 537  
  frame forwarding 173, 192–194  
  frame fragmentation 487, 488  
  frame relay 205–210  
  frame relay adapter (FRA) 210  
  frame synchronization 24, 37–41  
  frame transmission (cable TV) 520, 521  
  frames  
  in HTML 586–590  
  frequency allocations 539  
  frequency division duplexing (FDD) 534  
  frequency division multiplexing (FDM) 506  
  frequency shift keying (FSK) 100, 464  
  frequency subbands 462  
  frequency-hopping spread spectrum  
  (FHSS) 463  
  FSK (frequency shift keying) 100, 464  
  FTP *see* file transfer protocol  
  fully qualified domain names (FQDN) 401
- G-band 542  
G-Lite standard 136  
gateway GPRS support node (GGSN)  
  497, 498

- gateway location protocol (GLP) 435, 439–446
- gateway MSC (GMSC) 496
- gateways *see* access gateways; application level gateway; edge gateways; e-mail gateways; H.323 gateways; intersite gateways; media gateways; security gateways; signalling gateways; switching gateways
- general packet radio service (GPRS) 497
- generic domains 399
- geostationary orbit 29, 539, 540
- geosynchronous orbit 538
- GGSN (gateway GPRS support node) 497, 498
- Gigabit Ethernet 160, 187–190, 211
- global system for mobile communications (GSM) 494–497
- GLP (gateway location protocol) 435, 439–446
- GMSC (gateway MSC) 496
- 'Go-back-N' transmission control scheme 60–63
- Gopher protocol 564
- GPRS (general packet radio service) 497
- graphics 5
- group address table (GAT) 275
- GSM (global system for mobile communications) 494–497
- GTP (general packet radio service: tunnelling protocol) 497
- guaranteed service 293
- guard bands 510, 535
- H.323 gateways 445
- half-close procedure 363, 365
- half-duplex mode 7, 8
- handheld devices 477
- HAs (home agents) 288
- Hash Message Authentication Code (HMAC) 643
- HDB3 (high density bipolar 3) scheme 119
- HDLC (high-level data link control) 70–81, 198, 206
- HDSL (high-speed DSL) 135
- HLR (home location register) 496
- HMAC (Hash Message Authentication Code) 643
- home agents (HAs) 288
- home location register (HLR) 496
- home subscriber server (HSS) 500
- hop-by-hop routing 239, 315, 316
- hop counts 237
- hop limits 310
- hopping synchronization packets 470
- hotspots (in traffic engineering) 302
- HSS (home subscriber server) 500
- HTML *see* HyperText Markup Language
- HTTP (HyperText Transfer Protocol) 501, 554, 561, 564–570
- HTTPD 566
- hubs 160, 170–176, 188
- hunt mode 47
- hybrid fibre coax (HFC) networks 510–513
- hyperlinks 554
- hypertext 5
- HyperText Markup Language (HTML) 570–590
  - colour in 575, 576
  - extended 590
  - forms and CGI scripts in 582–585
  - frames in 586–590
  - images and lines in 576–579
  - lists in 574, 575
  - tables in 579–581
- HyperText Transfer Protocol (HTTP) 501, 554, 561, 564–570
- I-frame 50–63
- i-mode 604
- IAC (inquiry access code) 469, 472
- IBM (company) 25
- ICANN (Internet Corporation for Assigned Names and Numbers) 218
- ICMP (Internet control message protocol) 283–287
- IDEA (international data encryption algorithm) 626, 627
- idle bytes 49
- idle RQ protocol 51–55

high-level data link control (HDLC) 70–81, 198, 206

high-speed DSL (HDSL) 135

HLR (home location register) 496

HMAC (Hash Message Authentication Code) 643

home agents (HAs) 288

home location register (HLR) 496

home subscriber server (HSS) 500

hop-by-hop routing 239, 315, 316

hop counts 237

hop limits 310

hopping synchronization packets 470

hotspots (in traffic engineering) 302

HSS (home subscriber server) 500

HTML *see* HyperText Markup Language

HTTP (HyperText Transfer Protocol) 501, 554, 561, 564–570

HTTPD 566

hubs 160, 170–176, 188

hunt mode 47

hybrid fibre coax (HFC) networks 510–513

hyperlinks 554

hypertext 5

HyperText Markup Language (HTML) 570–590

colour in 575, 576

extended 590

forms and CGI scripts in 582–585

frames in 586–590

images and lines in 576–579

lists in 574, 575

tables in 579–581

HyperText Transfer Protocol (HTTP) 501, 554, 561, 564–570

I-frame 50–63

i-mode 604

IAC (inquiry access code) 469, 472

IBM (company) 25

ICANN (Internet Corporation for Assigned Names and Numbers) 218

ICMP (Internet control message protocol) 283–287

IDEA (international data encryption algorithm) 626, 627

idle bytes 49

idle RQ protocol 51–55

IEEE standards 477–481, 533–537, 645

IGMP (Internet group management protocol) 221, 280–283

IKE (Internet Key Exchange) 643

images

characteristics of 4, 5

IMEI (international mobile equipment identity) 494

IMG (IP multimedia services media gateway) 500

IMG tags 555

IMS (IP multimedia services) 500

inactivity timers 174

incoming events 67–72

indirect TCP 388, 389

industrial, scientific and medical (ISM) band of radio spectrum 463

information frames 37

information-mode 604

infrastructure wireless LANs 478

initial vector (for encryption) 623

in-line frames 589

in-phase carriers 103

inquiry access code (IAC) 469, 472

integrated media synchronization 387

integrated services 293

integrated services digital network (ISDN) 10, 90, 93, 135, 493

digital access circuits 131–133

multirate service 203

switched connections 203–205

integrity on the Internet 614

interactive applications 17, 18

Internet standards for 553, 556, 557

interactive services 509, 546, 547

interexchange carriers (IXCs) 90

interframe gap 168

interior gateway protocols 258

interleaving 121, 544, 545

intermediate systems (for Internet connection) 557–559

internal routers (in OSPF) 266

international data encryption algorithm (IDEA) 626, 627

international mobile equipment identity (IMEI) 494

Internet, the 13, 50, 93, 476, 506

access networks 1–3, 217

standards for interactive applications 553

structure and terminology 256–258

Internet control message protocol (ICMP) 220, 283–287

Internet Corporation for Assigned Names and Numbers (ICANN) 218

Internet group management protocol (IGMP) 221, 280–283

Internet Key Exchange (IKE) 643

Internet Package Exchange (IPX) protocol 199, 200

Internet protocol *see* IP

Internet protocol stack 79–83, 218

Internet routing 256–292

Internet service providers (ISPs) 1, 90, 123, 142–151, 158

Internet telephony 435–446

interoperability between IPv6 and IPv4 322

interrupts 68

intersite gateways 201–203

interworking 194, 496

with Internet telephony 445, 446

intra-AS routing protocols 258

intranets 3, 159, 203, 530–537

inverse multiplexing 203–205

IP (Internet protocol) 218

interoperability between versions 322–326

version 4 (IPv4) 221

version 6 (IPv6) 227, 306–322

IP addresses 218–221, 226–236

IP datagrams 221–224

IP multimedia services (IMS) 500

media gateway (IMG) 500

IP next generation (IPng) 306

IP security 641–644

ISDN *see* integrated services digital network

ISPs *see* Internet service providers iterative name resolution 407

IWF (interworking function) 496

IXCs (interexchange carriers) 90

jam sequence 163

Java and JavaScript 559, 560, 590–596

jitter 13, 17–20

jumbograms 316

junction boxes 94

justification bits 121–123

keepalive message 272  
 keepalive timer 367, 368  
 Kerberos system 633, 634  
 key distribution servers 633  
 keywords 606  
 known rate 17  
 Ku band 543  
  
 label distribution protocol (LDP) 305  
 label edge router (LER) 301  
 label switching 302–305  
 LAI (local area identification) 494  
 landing Web pages 501  
 LANs *see* local area networks  
 LAPD (link access procedure  
   D-channel) 131  
 LAPM (link access procedure for modems)  
   129–131  
 large window size 391  
 laser diodes (LDs) 27  
 layering 64–67, 80, 81, 447  
 LCP (link layer protocol) 147–151  
 LDP (label distribution protocol) 305  
 LDs (laser diodes) 27  
 leased telephone lines 89, 99  
   high bit rate 208–210  
 LEDs (light-emitting diodes) 27  
 LER (label edge router) 301  
 light-emitting diodes (LEDs) 27  
 limited broadcast addresses 252  
 line driver and line receiver circuits 110  
 link access procedure  
   D-channel (LAPD) 131  
   for modems (LAPM) 129–131  
 link control 66  
 link layer protocol (LCP) 147–151  
 link management functions 74  
 link manager protocol 472  
 link security (LS) 516  
 link state ACK 271  
 link state requests 271  
 link state shortest-path routing 243–250  
 link state updates 271  
 listening on the Internet 615  
 LLC (logical link control) sublayer 195, 198, 199  
 LMDS (local multipoint distribution system)  
   531–533

LNB/C (low-noise block converters) 540  
 load balancing 302  
 local area identification (LAI) 495  
 local area networks (LANs) 1, 46, 50, 159, 160  
   high-speed 176–190  
   interconnection technologies 168–176,  
     201–212  
   protocols for 195–200  
   virtual 160, 190–194  
   wireless 462, 477–493  
 local exchange carriers (LXCs) 90  
 local interaction 547  
 local multipoint distribution system (LMDS)  
   531–533  
 local name resolution 404, 405  
 local-use addresses 312  
 location servers (LSs) 440  
 logical link control (LLC) sublayer 195,  
   198, 199  
 logical link control and adaptation protocol  
   (L2CAP) 473, 474  
 low-noise block converters (LNB/C) 540  
 low-power state 473  
 lower window edge (LWE) 62  
 LSP (label switched path) 302  
 LSs (location servers) 540  
 LXCs (local exchange carriers) 90

M-bone networks 283  
 MA (multiple access) mode 161  
 MAC *see* medium access control  
 MAN (metropolitan area network) 190,  
   211, 212  
 managed objects (in SNMP) 447  
 management agents (in SNMP) 447  
 management information base (MIB) 448  
 Manchester encoding 42–46  
 marker module 299  
 masquerading 615  
 MAT (multicast address table) 274  
 maximum backoff window 521  
 maximum segment lifetime 364  
 maximum segment size (MSS) 338  
 maximum transmission unit (MTU) 167,  
   219, 391  
 maximum threshold (MaxTH) 295  
 MD (message digest) 630

MD5 encryption 632  
 media gateway control function (MGCF) 500  
 media gateways (MGWs) 540  
 media-independent interface (MII) 196, 197  
 media players 597  
 media resource function processor (MRFP) and  
   controller (MRFC) 501  
 medium access control (MAC) 159, 160,  
   166, 167  
   addresses 166  
   frame formats 491–493  
   sublayer 66, 198, 480–493, 535  
 message digest (MD) 630  
 message store 410  
 message transfer agent (MTA) 410  
 meta files 599  
 meta information 607  
 methods (in Java) 591, 593  
 metropolitan area network (MAN) 190,  
   211, 212  
   switching system (MSS) 211  
 MGCF (media gateway control function) 500  
 MIB (management information base) 448  
 microwave beams 29, 30  
 microwave links, terrestrial 30  
 MII (media-independent interface) 196, 197  
 MIME (Multipurpose Internet Mail Extensions)  
   397, 414–419  
 minimum threshold (MinTH) 295  
 minislots 517  
 mixers 385  
 mixing of audio signals 21  
 MMDS (multichannel multipoint distribution  
   system) 531–533  
 MMS (multimedia message service) 494  
 mobile IP 288–292  
 mobile phones 462, 463, 476  
 mobile subscriber roaming number  
   (MSRN) 496  
 mobile switching centres (MSCs) 496  
 mobility of ISDN subscribers 493  
 modems 21  
   broadband 92, 135–141, 144–147  
   PSTN 98–110  
   synchronous 106  
   *see also* cable modems  
 modulated transmission 21, 22, 30

modulation, multilevel 100–104  
 modulation rate 46  
 modulators 98  
 monomode fibre 28  
 MOSPF (multicast open shortest path first)  
   protocol 278, 279  
 MP3 597  
 MPLS (MultiProtocol Label Switching) 299–306  
 MRFC (media resource function controller) 501  
 MRFP (media resource function processor) 501  
 mrouter 275  
 MRSN (mobile subscriber roaming  
   number) 496  
 MSCs (mobile switching centres) 496  
 MSS (MAN switching system) 211  
 MSS (maximum segment size) 338  
 MTA (message transfer agent) 410  
 MTU (maximum transmission unit) 167,  
   219, 391  
 multicast open shortest path first (MOSPF)  
   protocol 278, 279  
 multicasting 7, 9, 274–280, 313  
 multichannel multipoint distribution system  
   (MMDS) 531–533  
 multiframes 119, 120  
 multilevel modulation 100–104  
 multimedia message service (MMS) 494  
 multimode index fibre 27  
 multiple access (MA) mode 161  
 multiplexing 90, 121–127, 210  
 multiplying audio signals 21  
 multiport bridges 171  
 MultiProtocol Label Switching (MPLS)  
   300–306  
 multiprotocol routers 250  
 Multipurpose Internet Mail Extensions (MIME)  
   protocol 397, 414–419  
  
 Nagle algorithm 349, 350  
 NAK-frames 51–53, 60, 471  
 name servers 403  
 NAPs (network access points) 151, 258  
 NAPT (network and address and port  
   transition) 501  
 NAT (network address translation) 227,  
   233–236  
 NAT-PT gateway 324

- PSTN *see* public switched telephone network  
 PTs (protocol translators) 325  
 public encryption 557  
 public key certification authorities 636, 637  
 public key system 628–630, 632, 633  
 public switched telephone network (PSTN) 10, 90–92  
   modems 98–109  
 public wireless LANs 477  
 puncturing 545  
 purchase requests 547
- quadrature amplitude modulation (QAM) 103  
 quadrature PSK (QPSK) 101  
 Quality of Service (QoS)  
   reports 387  
   parameters 13–20  
   support 292–306, 526, 527  
 query messages 402, 403  
 quoted-printable encoding 418
- radiation effects 26  
 radio interfaces 533, 534  
 radio network controllers (RNCs) 495  
 radio networks, cellular 390, 391, 462, 463, 493–501  
 radio transmission 30  
 random early detection (RED) 295  
 ranging 518–521  
 RARP (reverse ARP) 219, 220, 260, 262–264  
 RAS (resource access service) protocol 444  
 RCUs (remote concentrator units) 96–98  
 real-time data 6  
 real-time polling 526  
 real-time streaming protocol (RTSP) 597  
 real-time transport control protocol (RTCP) 335, 384, 386–388  
 real-time transport protocol (RTP) 335, 384–386, 600, 603  
 real-time variable bit rate 536  
 receive window 63  
 RFCOMM protocol 475  
 recursive name resolution 404–406  
 RED (random early detection) 295  
 regional ISP networks 151  
 rejects (NAK-frames) 62  
 relative URLs 573
- reliable service from switched networks 15, 24  
 reliable stream services 338  
 remote bridges 201  
 remote concentrator units (RCUs) 96–98  
 remote switching units (RSUs) 98  
 repeat requests *see* automatic repeat request schemes; continuous RQ; idle RQ schemes  
 repeater hubs 166, 170, 187, 188  
 repeaters 159, 162  
 request/data regions 525  
 request-to-send (RTS) control frame 487;  
   *see also* RTS/CTS  
 reservation access mode 521, 522  
 resolvers 404  
 resource access service (RAS) protocol 444  
 resource records 401, 402  
 resource reservation protocol (RSVP) 296–298  
 response frame (HDLC) 78  
 response messages (in DNS) 403  
 retransmission ambiguity problem 354  
 retransmission timeout (RTO) interval 353  
 reverse ARP (RARP) 219, 220, 260, 262–264  
 reverse path forwarding 253–255  
 RF modems 510  
 richtext *see* formatted text  
 RIPng 307  
 RIPs (routing information protocols) 243, 258  
 RJ45s 112  
 RNCs (radio network controllers) 495  
 robots 605  
 root domain 399  
 root ports 256  
 round-trip correction (RTC) 518  
 round-trip delay (RTD) 6, 17, 31  
 router advertisement messages 289–292  
 router discovery messages 291  
 routers 12, 151, 217  
 routing  
   on the Internet 256–290  
   in IPv6 318, 319  
 routing algorithms 236–256  
 routing directories 173  
 routing information protocols (RIPs) 243, 258  
 routing metrics 236  
 routing tables 12, 219  
 RS standards 109–112  
 RSA algorithm 626–631

- RSUs (remote switching units) 98  
 RSVP (resource reservation protocol) 296–298  
 RTC (round-trip correction) 518  
 RTCP (real-time transport control protocol) 335, 384, 386–388  
 RTD (round-trip delay) 6, 17, 31  
 RTO (retransmission timeout) interval 353  
 RTP (real-time transport protocol) 335, 384–386, 600–603  
 RTS control frame *see* request-to-send  
 RTS/CTS extension to DCF 485–487  
 RTSP (real-time streaming protocol) 597
- S-box 618, 619  
 SACK-permitted option 375  
 SACKs (selective acknowledgements) 391  
 sampling 5, 23, 24  
 SAs (security associations) 641  
 satellite intermediate frequency (SAT-IF) 540  
 satellite television networks 537–547  
 satellite transmission systems 29–31  
 SAT-IF (satellite intermediate frequency) 540  
 scatternet 465  
 SCOs (synchronous connection-oriented links) 467  
 scramblers 44  
 screen sizes 5  
 SDD (service discovery database) 475  
 SDH (synchronous digital hierarchy) 94, 123–126  
 SDP *see* session description protocol; service discovery protocol  
 SDSL (single-pair DSL) 135  
 search engines 605–607  
 secrecy on the Internet 614  
 secret keys *see* private key system  
 secure electronic transactions (SET) 650–652  
 secure hash algorithm (SHA) 632  
 secure socket layer (SSL) 640, 648–650  
 security 3, 557, 614–652  
   of networks 640, 641, 644–647  
   on the Web 647–652  
 security associations (SAs) 641  
 security gateways 210, 558  
 security parameter index (SPI) 641  
 security sublayer 535
- segments  
   in LANs 159  
   in TCP 338  
 selective acknowledgements (SACKs) 391  
 selective rejects (NAK-frames) 62  
 selective repeats 58, 64  
 send window 62, 63  
 send-and-wait schemes 52  
 sequence control 493  
 sequence numbers 52, 63, 64  
 serial-in-parallel-out shift register *see* SIPO  
 service classes for applications 19  
 service discovery database (SDD) 475  
 service discovery protocol (SDP) 475  
 service flow identifier (SFID) 516, 526  
 service identifier (SID) 516  
 service-specific convergence sublayer 536  
 session description protocol (SDP) 435, 439  
 session initiation protocol (SIP) 439, 500  
 session keys 634, 648, 650  
 SET (secure electronic transactions) 650–652  
 SFD (start-of-frame delimiter) 166  
 SFID (service flow identifier) 516, 526  
 SHA (secure hash algorithm) 632  
 shaper/dropper module 299  
 shaping of traffic flows 301  
 shielded twisted-pairs (STPs) 25  
 short inter-frame spacing (SIFS) 482  
 short message service (SMS) 494  
 shortest-path-first algorithm 243–246  
 SID (service identifier) 516  
 SIFS (short inter-frame spacing) 482  
 signal reflections 112  
 signalling  
   access networks 127–133  
   channels for 98  
   in MPLS 302–306  
   trunk networks 133–135  
 signalling gateways 440, 500  
 signalling messages 10  
 silly window syndrome (SWS) 369–371  
 SIM (subscriber identity module) 494  
 simple mail transfer protocol (SMTP) 397, 411  
 simple network management protocol (SNMP) 398, 447–454  
   structure of management information 449–452

simplex mode 7  
 single-pair DSL (SDSL) 135  
 SIP *see* session initiation protocol; switched  
 multimegabit data service interface protocol  
 SIPO shift register 36, 37, 44, 50  
 site-level aggregators (SLAs) 312  
 skin effect 25  
 slave devices 465  
 sliding window 62, 63  
 slot time 163, 465, 482  
 slow start threshold (SST) 359  
 SMDS (switched multimegabit data service) 211  
 SMS (short message service) 494  
 SMTP (simple mail transfer protocol) 397, 411  
 SNAP (subnet access protocol) 199  
 SNMP (simple network management protocol)  
 398, 447–454  
 snooping TCP 389, 390  
 socket primitives 338–341  
 SONET (synchronous optical network) 94, 125  
 SOS (start-of-stream) code 181  
 source addresses (in IPv6) 310  
 spanning tree broadcasts 256–258  
 SPI (security parameter index) 641  
 spiders 605  
 SS (standby slave) devices 465  
 SS7 (common channel signalling no. 7) 135  
 SSL (secure socket layer) 640, 648–650  
 SST (slow start threshold) 359  
 standby mode 472, 473  
 standby slave (SS) devices 465, 466  
 start bits 37  
 start-of-frame delimiter (SFD) 166  
 start-of-stream (SOS) code 181  
 startup delay 17  
 state transition diagrams 68–72  
 state variables 68, 69  
 static routing 238, 239  
 stations in LANs 159  
 steel pipes 321  
 STM signals 125  
 stop bits 37  
 stop-and-wait schemes 52  
 store-and-forward mode 13  
 STPs (shielded twisted-pairs) 25  
 streaming 6, 597–603  
 STS (synchronous transport signal) 125

STX (start-of-text) character 39, 41, 47, 48  
 subframes 535  
 subnet access protocol (SNAP) 199  
 subnet-directed broadcast addresses 252  
 subnetting 227, 230, 231  
 subrate multiplexing 210  
 subscriber identity module (SIM) 494  
 subscriber taps 506  
 superframes 490, 491  
 supervisory frames 76  
 SVGA format 5  
 switched connections (ISDN) 203–205  
 switched multimegabit data service (SMDS) 211  
 interface protocol (SIP) 211  
 switching gateways 217  
 switching hubs 174–176  
 switching offices/exchanges 8  
 switching systems (telephony) 91–93  
 SWS (silly window syndrome) 369–371  
 symmetric flow of data 7  
 SYN (synchronous idle) characters 47, 48  
 synchronism and synchronization 24, 36, 37,  
 44–50  
 synchronous connection-oriented links  
 (SCOs) 467  
 synchronous digital hierarchy (SDH) 94,  
 123–126  
 synchronous modems 106  
 synchronous optical network (SONET) 94, 125  
 synchronous transmission 8, 47–49, 47  
 synchronous transport signal (STS) 125

T1 circuits 121  
 tags 555, 570  
 TCM (trellis coded modulation) 103  
 TCP *see* transmission control protocol  
 TCP/IP protocol 217, 335–337  
 TCS BIN (telephony control specification  
 binary) protocol 475  
 TDD (time division duplexing) 141, 463, 534  
 TDM (time division multiplexing) 29  
 TE (traffic engineering) 300  
 telephony control specification binary (TCS  
 BIN) protocol 475  
 telephony on the Net 435–437  
 television *see* cable television networks; digital  
 television; satellite television networks


tentative cost values 246  
 terminal adaptors 110  
 terminology  
 of data communications and networking 7–9  
 of data encryption 615, 616  
 of the Web 562

text  
 characteristics of 4  
 text format directives (for HTML) 571–574  
 TFTP (Trivial FTP) 397, 425, 430–435, 516  
 third generation (3G) wireless networks 498  
 three-way handshake procedure 346, 645  
 ticket granting servers 633  
 tiers of Internet architecture 151, 152, 258  
 time-bounded services 482  
 time division duplexing (TDD) 141, 463, 534  
 time division multiplexing (TDM) 29  
 time sequence diagrams 74, 75  
 time slots 535  
 time synchronization (cable modems) 517, 518  
 timeouts 58  
 timer-expired messages 68  
 time-stamping 372–375, 391  
 TLAs (top-level aggregators) 312  
 TLS (Transport Layer Security) protocol  
 640, 648  
 TLV (type-length-value) 315  
 token bucket filter 294, 295  
 Token Ring 159, 192  
 top-level aggregators (TLAs) 312  
 traffic class field in datagram format 308, 309  
 traffic engineering (TE) 300  
 traffic metre module 298  
 training phase (modem operation) 103  
 translators (between IPv6 and IPv4) 325, 326  
 transmission control protocol (TCP) 83,  
 334–376  
 abbreviations used in specification 377, 378  
 indirect 388, 389  
 over cellular radio networks 390, 391  
 protocol operation 343–366  
 protocol specification 376–379  
 snooping 389, 390  
 user services 338–342  
 wireless 388–391  
 transmission control schemes 33–50  
 transmission media 25–33

transmission systems (telephony) 93–126  
 transparent bridges 171–173  
 transponders 29, 542, 543  
 transport layer 83  
 Transport Layer Security (TLS) protocol  
 640, 648  
 transport mode encryption 320  
 transposition of characters 617  
 trellis coded modulation (TCM) 103  
 triple DES 622  
 Trivial FTP (TFTP) 397, 425, 430–435, 516  
 truncated binary exponential backoff 163  
 trunk network signalling 133–135  
 tunnel mode encryption 320  
 tunnelling 250–252, 323, 324  
 turnaround time 108  
 twisted-pair lines 25, 26, 46, 94  
 two binary one quaternary (2B1Q) code 115  
 2MSL timer 364  
 two-way alternate mode 7  
 two-way simultaneous mode 7  
 type-length-value (TLV) 315

U-interface 115  
 UA *see* unnumbered acknowledgement; user  
 agent  
 UDP (user datagram protocol) 83, 334, 377–384  
 UI (unnumbered information) frames 79  
 UIP connections 129–131  
 UMTS (universal mobile telecom-munications  
 system) 498–500  
 unformatted text *see* plaintext  
 unicast addresses 311–313  
 uniform resource locators (URLs) 555,  
 561–564, 573, 574  
*absolute and relative* 573, 574  
 universal mobile telecommunications system  
 (UMTS) 498–500  
 unnumbered acknowledgement (UA)  
 frames 76  
 unnumbered information (UI) frames 79  
 unshielded twisted-pair (UTP)  
 cable 25, 165  
 unsolicited grants 526  
 upper window edge (UWE) 62  
 upstream maps 535  
 urgent data 345

- URLs (uniform resource locators) 555, 561–564  
 UseNet 563  
 user agent 410, 634  
 user datagram protocol (UDP) 83, 334, 377–384  
   protocol operation 382–384  
   user services 380–382  
 user service primitives 72–76  
 UTP (unshielded twisted-pair) cable 25, 165  
 UWE (upper window edge) 62
- V6 hosts 312  
 variable bit rate (VBR) 6  
 VCs *see* virtual circuits; virtual containers  
 VDSL (very-high-speed DSL) 136, 141  
 very-high-speed DSL (VDSL) 136, 141  
 very small aperture terminals (VSATs) 29  
 VGA (video graphics array) 5  
 video 5  
   on the Web 596–603  
 video graphics array (VGA) 5  
 video phones 7  
 videoconferencing 7  
 virtual circuits 11–12  
 virtual containers 125  
 virtual local area networks 160, 190–194  
 virtual machines 560  
 virtual private networks (VPNs) 210  
 visitor location register (VLR) 496  
 VPNs (virtual private networks) 210  
 VSATs (very small aperture terminals) 29
- wake-up carriers 472  
 WAP (Wireless Application Protocol) 603–605, 647  
 wave-division multiplexing (WDM) 28  
 Web, the *see* World Wide Web
- weighted fair queuing (WFQ) 294  
 well-known port numbers 336  
 WEP (wired equivalent privacy) 640  
 WFQ (weighted fair queuing) 294  
 WiFi (wireless fidelity) standard 478  
 WiMax 533  
 window scale option 371, 372  
 window size advertisements 348  
 wired equivalent privacy (WEP) 640  
 Wireless Application Protocol (WAP) 603–605, 647  
 wireless local area networks (WLANs) 462, 477–493  
 wireless local loop 533  
 wireless media 478–480  
 wireless networks 3  
   security 644–647  
   types 460, 461  
 wireless personal area networks (WPANs) 460  
 wireless TCP 388–391  
 wireless TLS 647  
 WLANs *see* wireless local area networks  
 World Wide Web 552  
   operation 604  
   security 647–652  
   terminology 561  
   use for mail 585  
   wireless 603–605  
 WPANs (wireless personal area networks) 460  
 WTLS (wireless transport layer security) 647
- X.25 network 13  
 XID (exchange identification) 129  
 XML (extensible markup language) 590  
 XSL (extensible style language) 590
- zero bit insertion *see* bit stuffing



Fifth Edition

# Computer Networking and the Internet

Fred Halsall • Lingana Gouda Kulkarni



With the advent of the World Wide Web, the Internet has rapidly become the dominant type of computer network. It now enables people around the world to use the Web for E-Commerce and interactive entertainment applications, in addition to e-mail and IP telephony. The fifth edition of this highly successful text has been completely revised and restructured to focus entirely on the Internet, and so avoids the necessity of describing protocols and architectures that are no longer relevant. As many Internet applications now involve multiple data types—text, images, speech, audio and video—the book explains in detail how they are represented. This is made accessible by extensive use of illustrations and worked examples that make complex systems more understandable. This makes the book ideal for self-study or classroom use for students in computer science or engineering, as well as being a comprehensive reference for practitioners who require a definitive guide to networking.

### Salient Features

- ❖ A separate chapter is devoted to each of the different types of access network: telephone networks, LANs and intranets, wireless networks, and entertainment networks.
- ❖ A chapter is devoted to each of the main components of the Internet, from modern Internet protocols to the World Wide Web.
- ❖ A whole chapter is devoted to the vital topic of network security.

**Fred Halsall** is a Professor Emeritus at the University of Wales. The previous editions of this book and its companion text *Multimedia Communications* have all been widely acclaimed and translated into several different languages. Professor Halsall has carried out research consultancies for a number of major communication companies and presented seminars at numerous international conferences.

**Lingana Gouda Kulkarni** is Professor, Department of Electronics and Communication Engineering, B. V. B. College of Engineering and Technology, Hubli, India. He received his Ph. D. in image processing in 1997 from Mysore University, India. His research areas include image processing, pattern recognition, and VLSI implementation of DIP algorithms.

This edition is manufactured in India and is authorized for sale only in India, Bangladesh, Bhutan, Pakistan, Nepal, Sri Lanka and the Maldives.

ISBN 978-81-775-8475-2



9 788177 584752

[www.pearsoned.co.in](http://www.pearsoned.co.in)