



CONTENTS

Acknowledgments xi

Foreword xiii

List of Contributors xv

1. The Importance of the Avian Immune System and its Unique Features 1

FRED DAVISON

1.1 Introduction 1

1.2 The Contribution of Avian Lymphocytes 1

1.3 The Contribution of the Bursa of Fabricius 2

1.4 The Contribution of the Chicken MHC 5

1.5 The Contributions to Vaccinology 6

1.6 Conclusions 8

References 8

2. Structure of the Avian Lymphoid System 11

IMRE OLÁH, NÁNDOR NAGY AND LONNEKE VERVELDE

2.1 Introduction 11

2.2 The Thymus 12

2.3 The Bursa of Fabricius 15

2.4 Germinal Center of the Peripheral Lymphoid Organs 22

2.5 The Spleen 24

2.6 Gut-Associated Lymphoid Tissue 29

2.7 Harderian and Conjunctiva-Associated Lymphoid Tissue 33

2.8 Mural Lymph Node 36

2.9 Ectopic Lymphatic Tissue and Pineal Gland 37

2.10 Bone Marrow 38

2.11 Blood 40

References 41

3. Development of the Avian Immune System 45

JULIEN S. FELLAH, THIERRY JAFFREDO, NÁNDOR NAGY AND DOMINIQUE DUNON

3.1 Introduction 45

3.2 Origins and Migration Routes of Hematopoietic Cells Using Quail-Chick Complementary Chimeras 45

3.3 Aortic Clusters as the Intra-Embryonic Source of Definitive Hematopoiesis 46

3.4 Formation of the Aorta: A Dorsal Angioblastic Lineage and a Ventral Hemangioblastic Lineage 48

3.5 The Avian Thymus and T Cell Development 51

3.6 The Bursa of Fabricius, B-Cell Ontogeny and Immunoglobulins 53

3.7 Lymphocyte-Differentiating Hormones 58

3.8 Development of the Immune Responses 58

3.9 Conclusions 59

Acknowledgments 60

References 60

4. B Cells, the Bursa of Fabricius and the Generation of Antibody Repertoires 65

MICHAEL J. H. RATCLIFFE AND SONJA HÄRTLE

4.1 Introduction 65

4.2 The Generation of Avian Antibody Repertoires 65

4.3 The Development of Avian B Cells 71

References 84

5. Avian T Cells: Antigen Recognition and Lineages 91

ADRIAN L. SMITH AND THOMAS W. GÖBEL

5.1 Introduction 91

5.2 TCR Structure and Lineages 91

5.3 CD3 Signaling Complex 94

5.4 CD4 and CD8 96

5.5 Co-Stimulatory Molecules 97

5.6 T Cell Lineages 98

5.7 Perspectives 99

References 99

6. Structure and Evolution of Avian Immunoglobulins 103

SONJA HÄRTLE, KATHARINE E. MAGOR, THOMAS W. GÖBEL,
FRED DAVISON AND BERND KASPERS

6.1 The Basic Structure of Immunoglobulins 103

6.2 Avian Immunoglobulins 104

6.3 Ig Half-Life 108

6.4 Natural Antibodies 108

6.5 Maternal Antibodies 109

6.6 Fc Receptors 111

6.7 Avian Antibody Responses 112

6.8 The Chicken Egg as a Source of Antibodies 113

6.9 Avian Antibodies as Tools for Research 114

References 114

7. Innate Immune Responses 121

HELLE R. JUUL-MADSEN, BIRGIT VIERTLBÖCK, SONJA HÄRTLE,
ADRIAN L. SMITH AND THOMAS W. GÖBEL

7.1 Introduction 121

7.2 Constitutive Barriers 123

7.3 Cells of the Innate Immune System 132

7.4 Pattern Recognition Receptors 134

References 141

CONTENTS	CONTENTS
avian MHC 149 KAUFMAN	16. Avian Immunosuppressive Diseases and Immunoevasion 275 KAREL A. SCHAT AND MICHAEL A. SKINNER
IC is Small, Simple and Encodes Single Dominantly Expressed Class I and II Molecules 153 Dominantly Expressed Class I and II Responses to Pathogens and Dominantly Expressed Class I Co-Evolution with Tap and Des Insights Into the Primordial Evolution of the MHC 158	16.1 Introduction 275 16.2 Immunosuppression 275 16.3 Mechanisms of Immunosuppression 284 16.4 Immunoevasion 285 16.5 Conclusions 289 References 290
n-Presenting Cells 169 ERS AND PETE KAISER	17. Factors Modulating the Avian Immune System 299 ELIZABETH A. KOUTSOS AND KIRK C. KLASING
174 Chicken DCs 180	17.1 Endocrine Regulation of Immunity 299 17.2 Physiological States 303 17.3 Dietary Effects on Immunity 304 17.4 Assessment 307 References 308
2	18. Autoimmune Diseases of Poultry 315 GISELA F. ERF
nes and Chemokines 189 R AND PETER STÄHELI	18.1 General Characteristics of Autoimmune Diseases 315 18.2 Autoimmune Vitiligo in Smyth-Line Chickens 317 18.3 Spontaneous Autoimmune (Hashimoto's) Thyroiditis in Obese-Strain Chickens 324 18.4 Scleroderma in UCD 200/206 Chickens 327 Acknowledgments 329 References 329
Cytokine and Chemokine	19. Tumors of the Avian Immune System 333 VENUGOPAL NAIR
with Factor-β Family 193	19.1 Introduction 333 19.2 Tumors of the Immune System 333 19.3 Oncogenic Mechanisms of Tumor Viruses 336 19.4 Immune Responses to Oncogenic Viruses 338 19.5 Anti-Tumor Responses 340 19.6 Conclusion 341 References 341
97 e Responses 198 ck Cytokine Action 198 xines as Vaccine Adjuvants 199 ed on Viral Mutants Lacking ts 199	20. Practical Aspects of Poultry Vaccination 345 VIRGIL E. J. C. SCHIJNS, SASKIA VAN DE ZANDE, BLANCA LUPIANI AND SANJAY M. REDDY
etics and the Mapping of ical Functions 205 C. M. DEKKERS AND HUAIJUN ZHOU	20.1 Introduction 345 20.2 Immunology of Vaccination 345 20.3 Immune Response Polarization 346 20.4 Chicken Vaccine Adjuvants 351
ogical Traits in the Chicken 205 munological Traits 207 to Detect QTL 208 or QTL Detection 210	Appendix A: Genetic Stocks for Immunological Research 413 MARY E. DELANY AND THOMAS H. O'HARE
	Appendix B: Resources for Studying Avian Immunology 425 PETE KAISER
	Abbreviations 429
	Index 433

inositol 3-kinase	T-	Thymus-derived (cells)
e receptor	TACI	Transmembrane activator and calcium modulator and cyclophilin ligand interactor
polycytidyl acid	TAP	Transporters for antigen processing
ein (suffixed by a number	4-TBP	4-tertiary-butyl-phenol
ze, e.g., pp38)	TCR	T cell receptor
nes	$\alpha\beta$ -TCR	Alpha-beta T cell receptor
n	$\gamma\delta$ -TCR	Gamma-delta T cell receptor
gnition receptors	TdT	Terminal deoxynucleotide transferase
ceptor α chain	Tfh	Follicular T helper cell
ated fatty acids	Tg	Thyroglobulin
dal white pulp	TGF	Transforming growth factor
polymerase chain	Th	T helper, 1, 2, 9 or 17
: trait loci	TIR	Toll interleukin 1-like receptor
on-activating gene	TLR	Toll-like receptor
at strains	TM	Transmembrane
otheliosis virus	TNF	Tumor necrosis factor
d-inducible gene I	TNFR	TNF receptor
d Red	TNFRSF	TNFR superfamily
fowl	TNFSF	TNF superfamily
ceptors	TNP	Trinitrophenol
abolic rates	TPA	12-O-tetradecanoylphorbol-13-acetate
acid (may be prefixed	TRAF	TNFR-associated factor
ss)	Treg	T regulatory
ygen species	TRIM	Tripartite motif
Poultry Breeding Station	Trk	Tyrosine kinase receptor
poultry Research Laboratory	TRP	Tyrosinase-related protein
ma	TRT	Turkey rhinotracheitis
tion signal sequences	TSH	Thyroid stimulating hormone
ma virus	TSLP	Thymic stromal lymphopoietin
nsriptase polymerase	TTRAP	TRAF6/TNFR-associated protein
ion	tu	Turkey (suffixed by another abbreviation, e.g., tuIFN)
us autoimmune thyroiditis	2D-PAGE	Two-dimensional polyacrylamide gel electrophoresis
omponent	Tyrp1	Tyrosinase-related protein-1
Leghorn	UCD	University of California, Davis
le lymphocytic leukemia	UL	Unique long
transcription factor	UNH	University of New Hampshire
expression cloning of	V	Variable
gens	VIP	Vasoactive intestinal peptide
munoglobulin	VN	Virus-neutralizing
lupus erythematosus	VP	Viral protein
leotide polymorphism	vTR	Virus-encoded RNA telomerase
r of cytokine signaling	vv	Very virulent
rotein	vvMDV	Very virulent MD virus
pathogen-free	W/O	Water-in-oil
pathogenicity island 2	WNV	West Nile virus
receptor	WL	White Leghorn

Index

Note: Page numbers followed by "f" and "t" refers to figures and tables, respectively.

A

- Abdominal air sac, 252f
- Acquired immunity, 1–2
- Activation-induced cytidine deaminase (AID), 70, 254
- Activin, 58
- Acute phase proteins (APP), 123–124
- Acute phase response (APR), 394
- Adaptive immune system, 2, 121–123
- Adenovirus, 285, 290, 355t
- Adoptive transfer, 1, 235
- Adrenocorticotropic hormone (ACTH), 299
- Aerosolized particles, 251, 257–258
- Affymetrix GeneChip, 213–214
- Aflatoxin B1 (AFB1), 277
- Air sacs, 251, 253, 255, 257–258
- Albumen, 265–266
- Alkaline phosphatase activity, 56
- Allantois, 49
- Allele frequencies, 206, 211
- Allelic exclusion, 71, 104
- Allograft rejection, 59
- Alternative pathway, 129f, 130–132, 134
- Amniotic fluids, 352–355
- Anaphylatoxins, 132
- Anas platyrhynchos*, 363, 367t, 370t
- Androgens, 301–302
- Angioblasts, 48–49
- Anolis carolinensis*, 65–66
- Antibodies, 3–4, 112–113, 205–206, 233–237, 239–241, 392, 397
- Antibody diversity, 56, 65
- Antibody production, 206, 211, 235, 237–239, 346–348
- Antibody purification, 114
- Antibody repertoire, 3–4, 65–71
- Antibody responses, 112–113, 211, 277–278, 283, 395
- Antibody-dependent cell cytotoxicity (ADCC), 328, 338
- Antibody-secreting cells (ASC), 82, 253
- Antigen handling, 27–29
- Antigen presentation, 169–170, 181
- Antigen presenting cell (APC), 132, 149, 169, 256–257, 345, 372–373
- Antigen-binding site, 69, 103
- Antigen-presenting dendritic cells, 12
- Antimicrobial peptides (AMP), 128, 365–366
- Antioxidant activity, 124
- Aortic hemangioblast, 48
- Aortic region, 46
- Apoptosis, 45–46, 56, 79, 125, 278–280, 282, 284–285, 288, 326, 328, 336, 339

B

- B blood group, 150, 207
- B cell, 11, 38–39, 58, 65, 236–237, 253–254, 258–259, 325–326, 345–347
- B cell activating factor (BAFF), 79, 83–84, 194, 253, 367t, 372, 378–379
- B cell clones, 22–24
- B cell development, 65
- B cell ontogeny, 53–58
- B cell progenitors, 72–73
- B cell receptor (BCR), 68–69, 74–76
- B cell specificities, 71, 76, 80
- B cell-activating factor of the TNF family (BAFF), 82–83
- B locus, 5–6, 150–151, 152f
- B lymphocyte, *see* B cell
- B7 family members, 97
- Backcrosses, 209
- Bacterial artificial chromosome (BAC), 107, 151
- BAFF mRNA, 83
- BAFF neutralization, 84
- BAFF receptor (BAFF-R), 83
- Basophil, 40f, 300
- B-dependent zones, 11
- BF/BL region, 150–151, 153, 159
- BF1, 153–154, 157–159
- BF2, 153–154, 157–158
- BG antigens, 5–6, 150–151, 154
- BG gene, 151, 154, 159–160
- Bioassay, 189, 198
- Biomarkers, 205
- Blood, 40
- Blood island, 49
- Blood/bursa barrier, 18
- BLyS (B-lymphocyte stimulator), 83
- BM2 myeloblastoid cell line, 171, 175
- Bone marrow, 38–40, 49, 51, 56, 58, 170, 172–174, 229, 236, 279–280
- Bordetella avium*, 112–113
- Bovine serum albumin (BSA), 109, 233, 282
- BrdU incorporation, 82
- Bromodeoxyuridine (BrdU), 22, 82
- Bronchus, 251–252, 252f
- Bronchus-associated lymphoid tissue (BALT), 81, 223–224, 255–256
- Brucella abortus* antigen, 211, 254, 280, 283, 321
- Bu-1, *see* chB6
- Bursa of Fabricius, 2–5, 15–22, 45, 65, 229–230, 278, 281, 334–336, 392, 396
- Bursal cells, 4–5, 21–22, 56, 73–76, 82–84
- Bursal colonization, 18–20, 22, 73–76, 78, 81
- Bursal cortex, 21, 79–80
- Bursal development, 53–55
- Bursal duct, 15, 18, 22, 78
- Bursal emigrants, 79–81
- Bursal epithelial anlage, 53
- Bursal epithelial cells, 18–20
- Bursal follicle, 18, 55–56, 76–77
- Bursal involution, 19–21
- Bursal lumen, 15–17, 29, 31–33
- Bursal lymphocytes, *see* Bursal cells
- Bursal macrophages, 21
- Bursal medulla, 18–22, 78, 80f
- Bursal rudiment, hematopoietic colonization of, 55–57
- Bursal secretory dendritic cells (BSDC), 17–18, 20–22, 20f, 56
- Bursectomized chickens, 3, 104, 170
- Bursectomy, 53–55, 321
- of pigeons, 396
- Bursin, 58
- Butyrophilin genes, 151

C

- C3 convertase, 131
- Caecal tonsils (CT), 11, 33, 229–232

INDEX

Cell-mediated immune (CMI) responses, 399–400
 Centroblasts, 22
 Centrocytes, 22
 Ceruloplasmin, 125
 chB6 (also known as Bu-1), 22–27, 32–33, 71, 374
 chB6+, 33
 chB6⁺/IgM⁺ B cells, 56
 chBAFF, 76, 84
 Chemokine, 195–196, 207, 373–374
 Chemokine receptors, 197
 Chick embryos, 1–2, 7
 Chicken embryos, 1–2, 45–46, 49, 51, 53–55, 58–59, 171, 177
 Chicken Fc receptor cluster, 111
 Chicken FcRn homologue, 111
 Chicken genome sequence, 150–153
 Chicken IFN- γ gene, 193
 Chicken Ig heavy-chain locus, 67
 Chicken Ig-like receptor (chIR), 154
 Chicken infectious anaemia virus (CIAV), 270, 277–280, 284, 349
 Chicken LGP2, 365
 Chicken MHC, 5–6, 150–153
 Chicken monoclonal antibodies, 114
 Chicken myelomonocytic growth factor (cMGF), 170–171
 Chicken polymeric Ig receptor, 111
 Chicken primordial germ cells (PGCs), 215
 Chick–quail chimaeras, 45
 CHIR-AB1, 111
 chMDA5, 364–365
 chNLRC5 down-regulation, 140
 Chorioallantoic membrane (CAM), 1–2
 Classical pathway (CP), 129–130
Clostridium perfringens, 238
 Coccidia, 112–113
 Collagenous lectins, 125–126
 Collectin, 126–127, 134–135
 Collectin kidney 1 (CL-K1), 127
 Collectin liver 1 (CL-L1), 127
 Collectin placenta 1 (CL-P1), 127
 Colloidal carbon, 18, 25–28
 in lymphoid follicles in the bursa, 73
 Colony-stimulating factors (CSF), 195
 Complement system, 128–131
 Complementarity-determining regions, 69, 92
 Complementary-determining regions, 92
 Complete Freund's adjuvant (CFA), 113–114
 Concanavalin A (ConA), 302, 321, 392
 Congenic lines, 413–414
 Conglutinin, 125
 Conjunctival-associated lymphoid tissues (CALT), 33–36, 254
 Constitutive barriers, 123–132
 Cortico-medullary border, 15, 18–19
 Corticosterone, 276, 284, 304, 405
 Corticotrophin-releasing factor (CRF), 299
 Costimulatory molecules, 97–98, 346–347, 351
 CpG, 138, 178–179, 236, 350, 364
 C-reactive protein (CRP), 124
 Crop milk, 110–111, 397
Cryptosporidium, 234, 240–241, 277

Cryptosporidium baileyi, 277
 Crypts, 228–229
 C-terminal F-box motifs, 287
 CTLA-4 (CTL-associated antigen-4), 378
 CTL-associated antigen (CTLA)-4, 97, 350
 C-type lectin immune receptors, 379
 CVI-ChNL-74.2 monoclonal antibody, 12–13
 CVIChNL-74.31 DC, 13–14
 CXC chemokines, 196, 367t, 373
 Cyclophosphamide, 20–21, 73, 81, 236–237, 253
 Cyclosporine A, 98
 Cytochrome P450, 277
 Cytokine antagonists, 199–200
 Cytokine cascades, 326–327
 Cytokine definition, 189
 Cytokine receptors, 196–198
 Cytoplasmic(c)IgY⁺ cells, 35–36
 Cytotoxic T lymphocytes (CTL), 27, 149, 155–156, 169, 280, 282, 339, 348
 C β gene, 52
 C δ gene, 52–53

D

Danger molecules, 347, 350
 DC inhibitory and activating receptors (DCIR and DCAR), 379
 DC-SIGN, 135
 DEC205, 176
 Defensins, 121, 128, 365–366
 Delayed-type hypersensitivity (DTH), 284
 Dendritic cells (DC), 33, 51, 122, 169–174, 228f, 230, 345, 347, 350
 Dendro-epithelial tissue, 56
 Deoxynivalenol (DON), 277
 Diphtheria–tetanus toxoid, 393–394, 394f
 Disease resistance, 207–210
 DM, 149–151, 158
 DNA microarrays, 208
 DNA vaccination, 113–114, 346, 354–355
 DNA vaccine, 346, 354–355, 355t
 DT40 cell line, 70
 Duck, 363–364, 372, 374, 375t
 Duck cell line (ATCC CCL-141), 381
 Duck CTLA-4 (duCTLA-4) cDNA, 378
 Duck hepatitis B virus (DHBV), 363, 366
 Duck hepatitis virus (DHV), 366
 Duck lymphocyte subsets, 376–379
 Duck RIG-I, 365
 Duck TLR4, 364
 DuCTLA-4, 378
 D β gene, 52, 93–94
 D δ gene, 52–53

E

EB66, 381
 Ecoimmunology, 391
 Ectopic lymphoid tissue, 37
 Egg yolk, 109–111, 114, 234
Eimeria, 124–125, 211, 227–228, 233–234, 238–240, 277
Eimeria tenella, 181, 239–240
 Ellipsoid-associated cells (EAC), 11, 27–28, 374–376
 Ellipsoid-associated reticular cells (EARC), 27
 Ellipsoids, 27, 29

Embryo, 45, 199, 283, 352–354
 Embryonally-bursectomised chickens, 35–36
 Embryonic macrophages, 174t
 Embryonic NK cells, 134
 Endothelial cells, 12
 Enteric immune system development, 231–234
 Enteric pathogens, 233–234
 Enterocytes, 228, 230–232
 Enzyme-linked immunosorbent assays (ELISA), 198, 269, 336, 392–393
 Enzyme-linked immunospot (ELISPOT), 198, 258–259, 348
 Eosinophil, 40f, 195
 Epidermal DC, 181
 Epinephrine, 299–300
 Epithelial layer, 230, 238
 Epithelial reticular cells (ERC), 12, 18–19
 Epithelial tufts, 77–78
 Epithelial–mesodermal interaction, 53
 Epstein–Barr virus, 336–337
Escherichia coli, 112–113, 124, 128, 177, 180, 206, 211, 257, 268, 276–277, 308, 368–369, 372, 393
Escherichia coli vaccine, 211
 ESEV motif, 288
 Esophageal and pyloric tonsils, 32
 Esophageal tonsils, 32
 Estrogen, 270, 302
 Estrogen diethylstilboestrol (DES), 267
 Evolution, 391
 Expressed sequence tags (EST), 99, 189, 207, 259, 346–347, 369–372

F

Fabricius, 55
 Fabricius, Hieronymus, 2–3
 Fc receptor, 111, 174–175, 177–178
 Feathers, 318, 322–323
 Feed restriction, 305
 Fibrinogen (FB), 124–125
 Fibronectin, 22, 125
 Ficolin, 125–127, 130
 Fluorescein isothiocyanate (FITC), 79
 Fluorescein isothiocyanate (FITC)-BSA, 113
 Follicle bud formation, hematopoietic colonization of, 55–57
 Follicle-associated epithelium (FAE), 15–17, 21, 31–34, 57, 253, 255
 Follicular dendritic cells (FDC), 22, 28, 37
 Fowlcidin, 128
 Fowlpox recombinant virus, 339, 354
 Fowlpox vaccine, 199
 Fowlpox viruses (FWPV), 198, 284, 286–287, 354
 Free avian respiratory macrophages (FARM), 257–258
 Free-living birds, 308, 392–397
 Fugu, 159–160
 Fumonisin B1 (FB1), 277
 Fumonisins, 277

G

Gamma globulin (chGG), 108
 Gene conversion, 4, 56, 69–71, 79
 Gene loci, 207–208

INDEX

Genetic loci, 207
 Genetic resistance, 158–159, 208, 212
 Genetic selection, 205–206, 212
 Genomic best linear unbiased prediction (GBLUP), 212–213
 Germ-free chickens, 11, 29, 34–35
 Germinal centres (GC), 11–12, 22, 27–29, 32–34, 37–38, 81–82, 253–254
 Gizzard, 227–229
 Glucocorticoid-induced leucine zipper (GILZ), 289
 Glucocorticoids, 58, 284, 299–300, 302–303
 Goblet cells, 230–231
 Goose, 366, 367t, 368
 Graft rejection, 1–2, 59
 Grafting, 71
 Graft-versus-host response (GvHR), 2, 5, 59, 321
 Granulocyte colony stimulating factor (G-CSF), 170–171
 Granulocyte/macrophage colony-stimulating factor (GM-CSF), 170, 174, 192, 196
 Growth hormone, 302
 Gut immune function, 227, 229–230
 Gut-associated lymphoid tissues (GALT), 29–33, 223–224, 229–231

H

Haptoglobin, 124–125
 Harderian gland (HG), 11, 81, 251, 349
 Hashimoto's thyroiditis, 316, 324–327
 Hassall's corpuscle, 14–15
 HD11 cells, 135–139, 174–175, 174t, 177–180, 235, 237–238
 Helicos, 216
 Hematopoiesis, 25, 46–48
 Hematopoietic cells, 45, 171, 174–175
 Hematopoietic growth factors, 170
 Hematopoietic microenvironment, 38–39
 Hematopoietic stem cells (HSC), 12, 45–46
 Hemopexin, 124–125
Hemophilus paragallinarum, 259
 Hemorrhagic enteritis, 355t
 Hemorrhagic enteritis virus, 349
 Hepatitis B virus (HBV), *see* Duck hepatitis B virus (DHBV)
 Herpesvirus of turkey (HVT), 282, 323, 334–335, 352–355
 Herpesviruses, 285
 Heterakis, 240–241
 Heterophil, 14–15, 40f, 134, 136–138, 192–193, 196, 230, 232–233, 236, 238, 257, 266
 High endothelial venules (HEV), 11, 37, 253
Histomonas, 124, 192, 240–241
Histomonas meleagridis, 192, 241
 Host resistance, 205
 Host–pathogen interactions, 259–260
 HPAIV, 365
 Humoral (immune) response, 109, 112, 129, 268–269, 303–304, 338, 349, 399, 404–405
 Humoral immunity, 301–302, 321, 325, 346
 Humoral response, 399
 HVT vector vaccines, 356
 Hypersensitivity reaction, 59, 237, 281, 307

I

ICAM-3, 135
 ICOS, 97
 IFN, 285–286
 IFN, Type I, 136, 139–140, 179, 189, 193, 235, 278–279, 286–288, 364–366
 IFN, Type II, 193, 235, 366–368
 IFN response, 137–139, 199
 IFN- α , 134, 179, 193, 197–198
 IFN- β , 193, 197–198, 235, 288, 365–366
 IFN- γ , 98, 122–123, 134, 138, 172f, 173f, 178–179, 181, 190f, 192–193, 197–198, 232, 259, 269, 277–280, 287, 303, 307, 322, 326, 339–340, 346, 367t, 368, 370, 372, 381
 IFN- γ -binding protein, 198, 287
 Ig, 3–4, 56, 103, 253, 346, 379
 Ig diversity, 69–71
 Ig gene rearrangement, 3–4, 56, 69–71, 73
 Ig light chain, 66
 IgA, 27, 106–107, 110, 230, 234, 236–238, 253–254, 258–259, 266, 347–348, 353, 375t, 380, 392
 IgA⁺ cells, 29–30, 32–33, 35–36, 253–254, 256–259
 IgA⁺-producing cells, 40
 IgH locus, 107
 IgM, 27, 57, 104, 110, 233–234, 236–237, 253, 258, 269, 347–349, 352–353, 374, 375t, 380, 392, 396
 IgM, Surface (sIgM), 24, 74, 74f
 IgM Surface (sIgM) receptor complex, 74–75
 IgM⁺, 24, 29–30, 32–33, 35–36, 255–256, 266, 347–348
 IgM⁺ B cells, 33
 IgM⁺-producing cells, 40
 Ig-type NK cell receptors, 154
 IgY (Δ Fc), 106, 109, 368, 380
 IgY, 29–30, 57, 105–106, 108, 233–234, 241, 253–254, 258–259, 349, 353, 368, 379–381, 396–398, 400–401, 405–406
 IgY, Surface (sIgY), 21, 24, 33
 IgY⁺, 24, 29–30, 32–33, 35–36, 255–259, 266
 IgY⁺ B cells, 33
 IgY⁺-producing cells, 40
 Ig- α chain, 57
 Ig- μ chain, 57
 IL-1 (interleukin-1), 180, 189–190, 190f, 325–326, 367t
 IL-1 receptor (IL-1R), 190, 196–197
 IL-1 β , 237, 278–279, 302–303, 325–326, 367t, 368
 IL-2, 134, 191, 197–199, 277, 325–326, 328, 367t, 368–369
 IL-2 receptor (IL-2R), 197, 328
 IL-3, 192, 196
 IL-4, 98, 192, 196–198, 241, 269, 373
 IL-5, 192, 196
 IL-6, 124–125, 134, 180, 198, 278–279, 302–303, 367t, 369–370
 IL-7, 14–15, 193, 196, 351
 IL-7 receptor (IL-7R), 14–15
 IL-8, 174t, 180, 281, 286, 322, 325–326, 370
 IL-8 receptors, 281
 IL-9, 192–193

INDEX

-193, Influenza viruses, 363, 369, 381
 Innate immune response, 209–210, 350
 Innate immune system, 121
 Innate immunity, 121
 Interdigitating dendritic cells (IDC), 27
 Interferon (IFN)- α , 277
 Interferon, *see* IFN
 Interfollicular epithelium (IFE), 15–17
 Interfollicular region, 11
 Interleukin (IL)-1 β , 277
 Interleukin, *see* IL
 Intestine, 29–32, 227
 Intraepithelial lymphocytes (IEL), 30–31, 133, 230–231, 233, 239, 371
 Involution, 12, 15, 19–20, 32
 Ion-Torrent, 216
 Isotype switching, 59

J
 Jenner, Edward, 6
 Joining (J) chain, 103–104
 J β elements, 52
 J δ gene, 52–53

K
 Kaleidoscope of autoimmune disease, 315–316
 Keratin, 12, 19
 Keyhole limpet hemocyanin (KLH), 24, 109, 307–308, 392
 Killer (Ig-like) NK receptors (KIR), 132, 154, 156
 Knock-out chickens, 98–99

L
 Lachrymal fluid, 254, 258
 Lamina propria, 29, 227, 229–230, 232, 238, 251
 Langerhans cells, 175, 181
 Lavage fluid, 257
 Lck binding site, 97
 Lectin pathway (LP), 130
 Leptin, 302
 Leukocyte receptor complex (LRC), 132
 Line crosses, 209
 Linkage disequilibrium (LD), 208–209, 211
 Linkage equilibrium (LE), 208, 209t
 Linkage equilibrium (LE)-markers, 212
 Lipopolysaccharide (LPS), 28, 124–125, 134–135, 137, 175, 178–180, 257, 302, 394, 399, 405
Listeria monocytogenes, 128
 LMP, 150–153, 158–159, 161
 LMP2, 151–153
 LPAIV, 365
 LPS-induced TNF- α factor (LITAF), 180
 LT2 antigen, 79–80
 Lung, 251–253
 Lymphatic vessels, 24
 Lymphatics, 22, 37
 Lymphocyte-differentiating hormones, 58
 Lymphoepithelium, 31–32
 Lymphoid atrophy, 282–283
 Lymphoid infiltration, 37–38

Lymphoid leukosis (LL), 335, 337
 Lymphomyeloid tissues, 11
 Lymphopoiesis, 24
 Lymphotoxin (LT), 150–153, 194

M
 M cells, 18, 31–32, 77, 229, 231, 255
 Macrophage, 12, 25–30, 34f, 45–46, 51, 121, 124–125, 127, 132, 169–170, 229, 235–236, 256–257, 266–268, 282, 339, 345–349, 375t
 Macrophage colony-stimulating factor (M-CSF), 170, 195
 Macrophage inflammatory protein (MIP)-1, 195–197, 367t, 373
 Macrophage migration, 176–177
 Major histocompatibility complex, *see* MHC
 Mammalian B cells, 81
 Mammalian BAFF, 83
 Mannan-binding lection (MBL), 124, 126–128
 MARCO, 27–28
 Marek's disease, 6, 156, 205, 207, 333–334, 348–349
 Marek's disease tumors, 154, 340
 Marek's disease vaccines, 6, 281, 334–335, 349, 351–352, 355
 Marek's disease virus (MDV), 6–7, 28–29, 98, 133–134, 149, 154–155, 211, 213, 223, 275–277, 281–282, 284–286, 323, 334, 339, 348–349, 352–353, 355–356
 Marginal zone, 27–28
 Marker-assisted selection (MAS), 207, 212
 MASP 1, 130
 MASP 2, 130
 Maternal transmission of antibodies, 397
 Maternally-derived antibody (MDA), 7, 109–111, 233–234, 353, 397
 Mathematical modelling, 7
 MBL-associated serine proteases, 130
 MC29, 170, 174–175
 Meckel's diverticulum, 31–33, 229
 Medulla, 18–22
 Melanocytes, 317, 319, 321
 Melatonin, 302–303
 Membrane attack complex (MAC), 131–132
 Mesenchymal reticular cells (MRC), 22
 Metapneumovirus (MPV), 351–352
 MGF, 170–171
 MHC, 2, 92, 150–153, 194, 206–207, 236, 266, 302, 315, 339, 347, 379–380, 413
 MHC binding site, 92
 MHC class I antigen, 134, 150, 169, 231, 240, 279–280, 370t, 376–377
 MHC class I gene, 150, 153, 157–158
 MHC class I tetramer, 348
 MHC class II antigen, 21, 25–27, 81, 133, 155–156, 169–170, 176, 231, 281, 326, 376–377
 MHC class II gene, 157
 MHC class II tetramer, 348–349
 MHC class II $^+$ T cells, 328
 MHC haplotype, 156, 318
 MHC II $^+$ cells, 55–56
 MHC-congenic strains, 155
 Microflora, 229–230, 232

INDEX

Minimal (essential) MHC, 5–6, 154, 159, 207, 379–380
 Mitogen-activated protein kinase (MAPK), 279
 Mixed lymphocyte reaction (MLR), 5–6, 181
 Monocyte, 40f, 124, 127, 136–138, 171–173, 196, 232, 256–257
 Monocyte chemotactic protein (MCP), 195–196
 Muc1, 230–231
 Muc2, 230–231
 Muc4, 230–231
 Muc5ac, 230–231
 Muc5b, 230–231
 Muc6, 230–231
 Muc13, 230–231
 Muc16, 230–231
 Mucosa-associated lymphoid tissues (MALT), 81, 229, 255
 Mucosal immune system, 223
 Mural lymph nodes (MLN), 36
 Murphy, James, 1
 Muscovy duck, 66, 369, 377–378
 Mx gene, 208
 Mycoplasma, 349
Mycoplasma gallisepticum, 133–134
 Mycotoxins, 306–307
 Myeloid cell, 37–38, 170–171, 255, 259
 Myeloid DC, 14–15
 Myeloid leukosis, 335

N
 NALP3 inflammasome, 139–140
 Nasal-associated lymphoid tissue (NALT), 251
 Natural antibodies (NAb), 108–109, 129, 392
 Natural killer cell, *see* NK cell
 Natural selection theory, 400
 NDV vaccines in chicks, 283
 Necrosis, 284–285
 Necrotic enteritis (NE), 238
 Neonatal immune system, 352–353
 Neonate, 58–59, 352–353
 Neoplastic diseases, 333–336
 Neutralizing antibodies, 279, 349
 Newcastle disease, 355t
 Newcastle disease virus (NDV), 40, 112–113, 192, 199–200, 277, 280, 283, 289, 347, 349–350, 352–354, 364–365, 392–393, 396, 402–403
 Nitric oxide synthase II, *see* NOS II
 NK cell, 25–27, 30–31, 121–122, 132–134, 149–150, 154, 156, 160–161, 175, 230, 233, 239, 280, 328, 333, 338–339, 345–349, 377–378
 NK cell activation, 239
 NK cell function, 133–134
 NK cell receptor, 132–133, 149–150, 154, 156, 160–161, 380
 NK complex (NKC), 132, 156, 160–161
 NK T cell, 99, 133
 NK target (LSCC-RP9), 133
 NLRC5 mRNA, 140
 NLRs, 139–140
 NO production, 178–179

Non-templated (N) nucleotides, 52–53
 Norepinephrine, 299–300
 NOS II activity, 178–179
 NOS II mRNA, 137
 NOS II–NOS II, 178–179, 278–279
 Notch 1, 73–74
 Notochord, 11
 Nuclear factor-kappa B (NF κ B), 279, 284, 305–306
 Nuclear serine/threonine protein kinase (RING3), 151
 Nucleolar organizing region (NOR), 150–151
 Numigall, 104
 Nutrition, 399–400

O
 Obese strain (OS) chicken, 324–327
 Ochratoxins, 277
 Oestradiol, 302
 Oncogenes, 335
 Oncogenic mechanisms, 336–338
 Ontogeny, 53–58, 395–397
 Opsonization, 131
 Oral ignorance, 227
 Oral tolerance, 227
 Ostrich (*Struthio camelus*), 104, 231, 363–366, 380
 OTA-fed chickens, 277
 Outbred populations, 209–210
 OV alloantigen, 81
 Ovary, 265–268
 Ovotransferrin, 125
 Oxford Nanopore, 216

P
 Pacific Biosciences, 216
 Palindromic (p) nucleotides, 66
 Palindromic sequences, 92
 Paneth cells, 122–123, 231
 Para-aortic foci, 49, 51, 56
 Parabiosis, 45, 72–73
 Paramyxoviruses, 285, 288–289
 Paraocular lymphoid tissue, 253–254
 Parasites, 238–241, 348–349, 395–397, 401, 404
 Parrots, 398–399
 Pasteur, Louis, 6
Pasteurella multocida, 6, 127, 177, 257
 Pathogen, 4–5, 169–170, 176, 205–206, 211–213, 227, 233–235, 345, 348–349
 Pathogen recognition, 134–141
 Pathogen-associated molecular pattern (PAMP), 130, 134, 140, 176, 179–180
 Pattern recognition receptors (PRR), 134–141, 231, 233
 PD1 co-stimulatory molecule, 97–98
 Peptide, 5, 149, 155, 158
 Peptide motifs, 154–155, 158
 Peptide:MHC complexes, 5
 Peptide-binding site, 13f, 91–92, 158, 169
 Peri-arteriolar lymphatic sheath (PALS), 27
 Periellipoidal lymphoid sheath (PLS), 81
 Peri-ellipoidal white pulp (PWP), 11, 27, 81
 Peripheral B cells, 76–77, 79–81
 Peripheral lymphoid organs, 22–24

Peritoneal lavage, 171–172
 Peyer's patches (PP), 29, 32, 231–234
 PHA, 283–284, 299–300, 307–308, 321–323, 368–369, 371, 376, 392–394, 396–401
 PHA responses, 395–401
 PHA skin test, 283, 308, 321, 392, 405f
 Phagocytosis, 121, 124, 128–131, 171–174, 177–178
 Phagolysosomes, 169–170, 178
 Pheasant, 104, 106, 108, 364, 380
 Phytohemagglutinin, *see* PHA
 Pigeon, 104–106, 109–111
 piggyBac, 215
 Pigmentation, 317–324
 Pineal gland, 37–38
 Pinealocytes, 37–38, 302–303
 Plaque-forming cells, 36–37
 Plasma cell development, 82
 Plasma cells, 29–30, 32–33, 228f, 253, 255–256, 258–259
 Plasmablasts, 253
 PLUNC" (palate, lung and nasal epithelial clone), 134–135
 Polymeric Ig receptor (pIgR), 29
 Polyunsaturated fatty acids (PUFA), 305
 Poult enteritis and mortality syndrome (PEMS), 281
 Poxviruses, 285, 289, 354, 355t
 Pre-B cell colonization, 56
 Pre-T cell receptor (pre-TCR), 52
 Pre-T cell receptor α chain (pT α) gene (PTCRA), 52
 Primary bronchus, 251–253, 255
 Primitive erythrocytes, 45
 Proctodeum, 15
 Production traits, 205, 214
 Proteomics, 214
 Proventriculus, 24, 30–32, 228–229
 Pseudogene, 4, 69–70, 107, 113, 152f
 Pseudo-V genes, 56
 Pullorum, *see* *Salmonella enterica* serovar Pullorum
 Pyloric tonsils, 29, 31–32

Q
 Quail, 45–46, 48, 106, 363–364, 367t, 368, 371, 374–376
 Quail–quail chimeric bursa, 53
 Quantitative trait loci (QTL), 207–208, 318–319

R
 Rabbit appendix, 73
 Randombred lines, 413
 RCAS retrovirus, 75
 Rearrangement, Ig genes, *see* Ig gene rearrangement
 Recombinant fowlpox virus, *see* Fowlpox recombinant virus
 Recombinase-activating gene 1(RAG1), 72f, 74f, 92
 Recombinase-activating gene 2 (RAG2), 72f, 74f, 92
 Recombination signal sequences (RSS), 66
 Recombination-activating gene (RAG), 150

Spectroscopy, 393
Splanchnopleural cells, 49
 Spleen, 24–29, 229–230, 235–236, 392
 Splenectomy of pigeon, 11
 Splenic anlage, 11
 Splenomegaly, 2, 175
 Spontaneous autoimmune thyroiditis (SAT), 324–327
Staphylococcus aureus, 124, 136, 365–366, 393
 STAT5, 170–171
 Stress, 276–277, 284, 299–300, 303–304, 399
 Stress hormones, 299–300, 400, 405
 Stromal epithelial cells, 51
 Suppressor macrophages, 280, 282, 285
 Suppressor of cytokine signalling (SOCS), 198
 Surface (s) Ig, 66–67
 Surface (s) IgM, 21–22
 Switch⁺ regions, 105
 Systemic lupus erythematosus (SLE), 83

T

T cell antigen recognition, 91
 T cell differentiation, 51–52
 T cell homing, 53
 T cell independent antigen, 277
 T cell lineages, 98–99
 T cell receptor β (TCR β) chain, 52
 T cell repertoire, 5, 91, 94
 T cell responses, 236–237, 279, 283
 T cell-dependent antigen, 27–28, 277, 307–308
 T cells, 5, 11–12, 91, 121, 230, 236, 305
 T lymphocytes, *see* T cells
 T regulatory (Treg) cells, 347, 350
 TAP genes, 150–156, 380
 Tapasin genes, 150–151, 157–158
 T-cell proliferation, 393
 T-cell tumors, 338
 TCR, 5, 52–53, 91, 121, 169
 TCR complex, 94
 TCR rearrangement, 52–53, 92
 TCR signal transduction, 96
 TCR $\alpha\beta$ 1, 22–24, 27, 33, 230–233, 322, 325, 377–378
 TCR $\alpha\beta$ 1⁺ cells, 25–27, 33, 230
 TCR $\alpha\beta$ 2, 25–27, 29–30, 230, 235
 TCR $\alpha\beta$ 2⁺ cells, 25–27, 29–30
 TCR β cluster, 93–94
 TCR β locus, 52
 TCR γ cluster, 94
 TCR $\gamma\delta$, 25–27, 26f, 29–30, 32, 34f, 53, 230, 232, 235, 239, 322, 378
 TCR $\gamma\delta$ ⁺ cells, 25–27, 26f, 29–30, 32, 239, 322, 378
 TCR δ gene, 52
 T-dependent immune responses, 254
 T-dependent zone, 11
 Terminal deoxynucleotide transferase (TdT), 68, 92
 Testosterone, 56, 300–302
 Testosterone propionate, 236–237
 Tetradecanoylphorbol-13-acetate (TPA), 175
 TGF, 347

TGF- α , 14–15
 TGF- β , 197, 237, 279, 283, 307, 347
 TGF- β family, 189, 197
 TGF- β receptors, 196
 TGF- β 1, 197
 TGF- β 2, 197, 328
 TGF- β 3, 197
 TGF- β 4, 197
 Th1 (T helper cell 1) cells, 98, 169–170, 302, 305–306, 326, 346, 349
 Th1 cytokines, 346–350
 Th1 interleukins, 191–192
 Th17, 191–193
 Th1-biased responses, 191–192, 269, 308, 350
 Th1–Th2 paradigm or polarization, 192, 346
 Th2, 192, 302, 305–306, 308, 347, 352
 Th2 cells, 98, 169–170, 192, 302, 308, 347–348
 Th2 cytokine, 151–153, 192–193, 346, 373
 Th2-biased responses, 195, 241, 269, 302, 346, 350
 Thrombocyte, 38–40, 172–173, 175, 279–280, 372f
 Thymectomized chicks, 27
 Thymectomy, 29–30, 59, 325, 339
 Thymic colonization, 51
 Thymic cortex, 12–13
 Thymic involution, 12
 Thymic medulla, 13–15
 Thymic stromal lymphopoietin (TSLP), 14–15
 Thymocytes, 14–15, 282
 Thymopoietin, 58
 Thymus, 12–15, 45, 51–53, 71–72, 98, 279–281, 301, 305, 325, 334, 392
 Thyroglobulin (Tg), 324
 Thyroid antigens, 324
 Thyroid hormone, 302
 Thyroiditis, 324–327
 Tight junctions, 228
 T-independent immune responses, 254
 T-independent type-1 antigens, 28
 T-independent type-2 antigens, 28
 TLR, 29, 134, 233, 235, 259, 267, 350, 364
 TLR signalling pathways, 135–136, 139
 TLR1/6/10, 136
 TLR2, 135–136, 138, 364
 TLR3, 135–136, 179, 364
 TLR4, 135, 137, 235, 267, 364
 TLR5, 135–137, 236, 364
 TLR7, 135–138, 235, 364, 368
 TLR8, 137–138, 235, 364
 TLR9, 138, 364
 TLR15, 135–136, 364
 TLR21, 135–136, 364
 TLR22, 138–139
 TNF, 150–153, 159
 TNF- α , 150–153, 180, 194, 198, 372
 TNF receptor (TNFR), 82–83, 97–98
 TNF receptor superfamily (TNFRSF), 194–197
 TNF superfamily (TNFSF), 83, 189, 194t, 372–373
 TNFR-associated factor (TRAF), 97–98
 Tolerance, 97, 169, 233, 306–307, 315, 324, 347, 355

Toll interleukin 1-like receptor (TIR), 135, 138
 Toll-like receptors, *see* TLR
 Trachea, 251
 TRAF6/TNFR-associated protein (TTRAP), 97–98
 Transcriptomics, 213, 216
 Transferrin, 125
 Transforming growth factor, *see* TGF
 Transgene technology, 259
 Transgenic animals, 214–215
 Transgenic chickens, 215
 Transmission electron microscopy, 22–24
 Tree swallow, 396–398, 400, 405
 Trichothecenes, 277
 TRIF, 135–136, 139
 TRIM, 151
 TuIL-10, 370
 Tumor necrosis factor (TNF), 82–83
 Tumor viruses, 336–338
 Tumors, 281–284, 333–336
 Turkey, 255–257, 277, 281, 303, 333–334, 336, 353, 363–364, 366, 371, 374–376

V

V(D)J gene, 92
 V(D)J recombination, 66, 68–69
 Vaccination, 6, 237, 251, 258–259, 267, 271, 302, 345
 Vaccination *in ovo*, 353–356
 Vaccine, 154–157, 199, 234
 Vaccine adjuvants, 113–114, 193, 199, 351
 Vaccine live-attenuated, 236, 307–308, 334–335
 Vaccinology, 6–7
 Vertical transmission, 335–336
 Villus, 29, 228–231
 Vimentin, 18–19
 Vimentin⁺ cells, 55–56
 Viral IL-8 (vIL-8), 281

W

Water-in-oil (w/o) emulsions, 350
 White Pulp, 24–25
 Whole-genome prediction, 212–213

X

Xenopus, 158–160
Xenopus tropicalis, 65–66

Y

Yolk sac, 31f, 32–33, 45–46, 47f, 57, 109–110, 171, 353

2nd Edition

AVIAN IMMUNOLOGY

Karel A. Schat | Bernd Kaspers | Pete Kaiser



The science underpinning avian immunology is crucial to understanding basic immunological principles. The exceptional features of the avian immune system and different strategies birds have adopted can provide important evolutionary insights. This book provides the most complete picture of the avian immune system to date. The global importance of poultry protein for the human diet, the threat of an avian influenza pandemic and heavy reliance on vaccination to protect commercial flocks world-wide demonstrates the need to review the important practical lessons in disease control presented here.

- Provides systematic reviews by leading experts in the field ranging from basic science to cutting edge research results.
- Presents foundational knowledge in immunology for the growing number of ecologists and ornithologists researching immunological parameters as selection traits for survival and evolution.
- Appendices summarize resources for scientists including cell lines, inbred chicken lines, cytokines, chemokines, and monoclonal antibodies.

"This book would serve as reference that all can resort to for old and new information. This field lacks such a resource and I personally have used the first version extensively whether as refresher or to acquire new knowledge. Much of the classical discoveries in this area are not readily available to the public and this book will afford access to such information. The appendices are especially helpful as many scientists are not aware of the resources available."

**Dr. Rami A. Dalloul, Associate Professor,
Dept. of Animal & Poultry Sciences, Virginia Tech, USA**

ISBN 978-0-12-396965-1

