

Mechanistic Modelling in  
**Pig & Poultry**  
Production



Edited by  
R.M. Gous, T.R. Morris and C. Fisher



**CABI is a trading name of CAB International**

CABI Head Office  
Nosworthy Way  
Wallingford  
Oxfordshire OX10 8DE  
UK

Tel: +44 (0)1491 832111  
Fax: +44 (0)1491 833508  
E-mail: [cabi@cabi.org](mailto:cabi@cabi.org)  
Website: [www.cabi.org](http://www.cabi.org)

CABI North American Office  
875 Massachusetts Avenue  
7th Floor  
Cambridge, MA 02139  
USA

Tel: +1 617 395 4056  
Fax: +1 617 354 6875  
E-mail: [cabi-nao@cabi.org](mailto:cabi-nao@cabi.org)

© CAB International 2006. All rights reserved. No part of this publication may be reproduced in any form or by any means, electronically, mechanically, by photocopying, recording or otherwise, without the prior permission of the copyright owners.

A catalogue record for this book is available from the British Library, London, UK.

A catalogue record for this book is available from the Library of Congress, Washington, DC.

ISBN-10: 1-84593-070-3  
ISBN-13: 978-1-84593-070-7

Typeset by Columns Design Ltd, Reading  
Printed and bound in the UK by Cromwell Press, Trowbridge

---

## Contents

---

<b>List of Contributors</b>	<b>vii</b>
<b>Preface</b>	<b>ix</b>
<b>Acknowledgements</b>	<b>xi</b>
<b>1 An Introduction to Modelling in the Animal Sciences</b> <i>T.R. Morris</i>	<b>1</b>
<b>2 Scientific Progress and Mathematical Modelling: Different Approaches to Modelling Animal Systems</b> <i>J. France and J. Dijkstra</i>	<b>6</b>
<b>3 Basic Concepts Describing Animal Growth and Feed Intake</b> <i>N.S. Ferguson</i>	<b>22</b>
<b>4 The Effects of Social Stressors on the Performance of Growing Pigs</b> <i>I.J. Wellock, G.C. Emmans and I. Kyriazakis</i>	<b>54</b>
<b>5 Modelling Populations for Purposes of Optimization</b> <i>R.M. Gous and E.T. Berhe</i>	<b>76</b>
<b>6 Advancements in Empirical Models for Prediction and Prescription</b> <i>W.B. Roush</i>	<b>97</b>
<b>7 The Problem of Predicting the Partitioning of Scarce Resources during Sickness and Health in Pigs</b> <i>I. Kyriazakis and F.B. Sandberg</i>	<b>117</b>
<b>8 Nutrient Flow Models, Energy Transactions and Energy Feed Systems</b> <i>J. van Milgen</i>	<b>143</b>

<b>9 Evaluating Animal Genotypes through Model Inversion</b>	<b>163</b>
<i>A.B. Doeschl-Wilson, P.W. Knap and B.P. Kinghorn</i>	
<b>10 Considerations for Representing Micro-environmental Conditions in Simulation Models for Broiler Chickens</b>	<b>188</b>
<i>O.A. Blanco and R.M. Gous</i>	
<b>11 Using Physiological Models to Define Environmental Control Strategies</b>	<b>209</b>
<i>M.A. Mitchell</i>	
<b>12 Modelling Egg Production in Laying Hens</b>	<b>229</b>
<i>S.A. Johnston and R.M. Gous</i>	
<b>13 Comparison of Pig Growth Models – the Genetic Point of View</b>	<b>260</b>
<i>P. Luiting and P.W. Knap</i>	
<b>14 Mechanistic Modelling at the Metabolic Level: a Model of Metabolism in the Sow as an Example</b>	<b>282</b>
<i>J.P. McNamara</i>	
<b>15 The Place of Models in the New Technologies of Production Systems</b>	<b>305</b>
<i>D.M. Green and D.J. Parsons</i>	
<b>Index</b>	<b>325</b>

---

## Contributors

---

- E.T. Berhe, *Animal and Poultry Science, School of Agricultural Sciences and Agribusiness, University of KwaZulu-Natal, Private Bag X01, Scottsville 3209, South Africa.*
- O.A. Blanco, *Animal and Poultry Science, School of Agricultural Sciences and Agribusiness, University of KwaZulu-Natal, Private Bag X01, Scottsville 3209, South Africa.*
- J. Dijkstra, *Animal Nutrition Group, Wageningen Institute of Animal Sciences, Wageningen University, Marijkeweg 40, 6709 PG Wageningen, The Netherlands.*
- A.B. Doeschl-Wilson, *Sygen International, Scottish Agricultural College, Bush Estates, Penicuik, Edinburgh, EH26 0PH, UK.*
- G.C. Emmans, *Animal Nutrition and Health Department, Scottish Agricultural College, West Mains Road, Edinburgh, EH9 3JG, UK.*
- N.S. Ferguson, *Maple Leaf Foods Agresearch, 150 Research Lane, Guelph, Ontario, Canada, N1G 4T2.*
- J. France, *Centre for Nutrition Modelling, Department of Animal and Poultry Science, University of Guelph, Guelph, Ontario, Canada, N1G 2W1.*
- D.M. Green, *University of Oxford, Department of Zoology, South Parks Road, Oxford, OX1 3PS, UK.*
- R.M. Gous, *Animal and Poultry Science, School of Agricultural Sciences and Agribusiness, University of KwaZulu-Natal, Private Bag X01, Scottsville 3209, South Africa.*
- S.A. Johnston, *Animal and Poultry Science, School of Agricultural Sciences and Agribusiness, University of KwaZulu-Natal, Private Bag X01, Scottsville 3209, South Africa.*
- B.P. Kinghorn, *Sygen International, Scottish Agricultural College, Bush Estates, Penicuik, Edinburgh, EH26 0PH, UK.*
- P.W. Knap, *PIC International Group, Ratsteich 31, D-24837 Schleswig, Germany; and Sygen International, Scottish Agricultural College, Bush Estates, Penicuik, Edinburgh, EH26 0PH, UK.*

- Schofield, C.P., Marchant, J.A., White, R.P., Brandl, N. and Wilson, M. (1999) Monitoring pig growth using a prototype imaging system. *Journal of Agricultural Engineering Research* 72, 205–210.
- Stacey, K.F., Parsons, D.J., Frost, A.R., Fisher, C., Filmer, D. and Fothergill, A. (2004) An automatic growth and nutrition control system for broiler production. *Biosystems Engineering* 89, 363–371.
- Tillett, R.D., Onyango, C.M. and Marchant, J.A. (1997) Using model-based image processing to track animal movements. *Computers and Electronics in Agriculture* 17, 249–261.
- Tillett, R., McFarlane, N. and Lines, J. (2000) Estimating dimensions of free-swimming fish using 3D point distribution models. *Computer Vision and Image Understanding* 79, 123–141.
- Wellock, I.J., Emmans, G.C. and Kyriazakis, I. (2003a) Modelling the effects of thermal environment and dietary composition on pig performance: model logic and concepts. *Animal Science* 77, 255–266.
- Wellock, I.J., Emmans, G.C. and Kyriazakis, I. (2003b) Predicting the consequences of social stressors on pig food intake and performance. *Journal of Animal Science* 81, 2995–3007.
- White, R.P., Schofield, C.P., Green, D.M., Parsons, D.J. and Whittemore, C.T. (2004) The effectiveness of a visual image analysis (VIA) system for monitoring the performance of growing/finishing pigs. *Animal Science* 78, 409–418.
- Whittemore, C.T. (1998) Simulation modelling. In: *The Science and Practice of Pig Production*. Blackwell Science, Oxford, UK.
- Whittemore, C.T., Green, D.M. and Schofield, C.P. (2001a) Nutrition management of growing pigs. In: Wathes, C.M., Frost, A.R., Gordon, F. and Wood, J.D. (eds) *Integrated management systems for livestock. Occasional Publication No. 28*. British Society of Animal Science, Edinburgh, UK, pp. 89–95.
- Whittemore, C.T., Green, D.M. and Knap, P.W. (2001b) Technical review of the energy and protein requirements of growing pigs: food intake. *Animal Science* 73, 3–17.
- Whittemore, C.T., Green, D.M. and Knap, P.W. (2001c) Technical review of the energy and protein requirements of growing pigs: energy. *Animal Science* 73, 199–215.
- Whittemore, C.T., Green, D.M. and Knap, P.W. (2001d) Technical review of the energy and protein requirements of growing pigs: protein. *Animal Science* 73, 363–374.
- Whittemore, E.C., Emmans, G.C. and Kyriazakis, I. (2003) The problem of predicting food intake during the period of adaptation to a new food: a model. *British Journal of Nutrition* 89, 383–398.
- Williams, S.R.O., Moore, G.A. and Currie, E. (1996) Automatic weighing of pigs fed *ad libitum*. *Journal of Agricultural Engineering Research* 64, 1–10.
- Wu, J.H., Tillett, R., McFarlane, N., Ju, X.Y., Siebert, J.P. and Schofield, P. (2004) Extracting the three-dimensional shape of live pigs using stereo photogrammetry. *Computers and Electronics in Agriculture* 44, 203–222.

## Index

- ability to cope 65  
 acclimation state 215  
 adipose tissue  
   control of lipid storage in 293  
   energy storage tissue 284  
   enzyme activity 289  
   *see also fat*  
 age at first egg, mean, prediction of 236–237, 255  
 air quality 38, 82–84  
 air velocity (and speed) 34, 54, 190–191, 198–200, 213, 215, 221  
 algebraic model inversion 167, 169–177, 185  
   sources of error 174  
 allometric  
   coefficients 24  
   relationships 24, 49, 80  
 amino acids  
   coefficients 30  
   deaminated 29, 145, 148, 152  
   first-limiting 25, 46, 49, 57, 125–126  
   feed intake 29  
   immune response 71, 126, 128–135, 138–139  
   limiting 2, 25, 31, 33  
   optimum content 91–93  
   profiles 29–30  
   ratio with energy 46, 77  
   ratio with protein 46  
   response 79, 132  
   utilization of limiting 2  
 anabolic hormone 292  
 anabolism 156–157  
 animal  
   behavioural changes 36–37  
   breeding strategies 64  
   description 24, 46, 48  
   disease and health 39, 41, 117, 136  
   health 39–42, 117–118, 129–136, 305, 320  
   homeothermic 188–192  
   thermal environment 210–214, 306  
 appendages, bare 190–194, 203  
 appetite 32, 56–57, 71, 308  
 artificial neural networks 98, 103, 105  
 ash deposition 261  
 ATP cost 152–153  
 ATP synthesis 149–152, 158  
 ATP yield 158, 298  
 automated feeding and weighing systems 306, 310  
 backfat 56, 153, 171–180, 310, 318–319  
 basal metabolic rate 153  
 between-animal variation 63–64, 66, 71  
 behavioural freedom 215  
 bimodal distribution 237, 243, 256  
 biological responses, accuracy of  
   defining 22  
 birds in transit 218

- body  
 composition 15, 35, 49, 95,  
 154-156, 171, 178-179  
 maintenance 169, 261-262  
 reserves 26, 154  
 temperature 37-38, 189, 193, 202,  
 212, 216-222, 244  
*see also* carcass  
 boundary layer 191-203  
 breast meat yield 78, 80  
 breeding values, estimated (EBV) 108,  
 163  
 broiler  
 behaviour 82  
 feeding programmes 77-82, 85,  
 91-94  
 bulk constraint 31-32, 38
- calorimetry, indirect 145  
 carbon dioxide balance 211  
 carcass  
 composition 77, 80, 310  
 protein 157  
 quality 308  
 value 311  
 catalytic activity 291  
 chance constrained programming 109  
 chaos theory 99, 101  
 circadian rhythm 229-230, 238-241,  
 255  
 coccidiosis 16  
 compensatory responses 26, 34  
 controllable elements in production 315  
 control algorithms 316-317  
 control objectives 306-308, 315-318  
 constraints 316  
 integrals 316  
 single-point targets 316  
 trajectories 316  
 cost-benefit analysis 84  
 costs  
 feed 77  
 processing and transport 77
- decision analysis 111  
 decision support system 306  
 degree of maturity 25, 275  
 diet  
 composition 81, 171  
 least cost 14, 78
- digestible energy 45-46, 143, 172  
 digestion 15, 28, 49  
 Discomfort Index 197  
 disease  
 and performance 39-41, 71  
 challenge 23, 38  
 clinical 127  
 intestinal 16, 30  
 susceptibility 71  
 diseased growing pigs 117
- economic objectives 307  
 effective energy 28, 43-44, 147, 153  
 efficiency of utilization of protein (ep)  
 31, 43, 262  
 effect of temperature on 124
- egg  
 double-yolked 231, 236, 242,  
 245-246, 255-257  
 soft-shelled 242, 246-247, 255  
 weight, predicting 230, 249-252,  
 255-256
- empiricism 4,10  
 energy  
 balance 37, 145, 214  
 content, optimizing 2  
 cost 148-153, 172  
 of physical activity 154  
 dietary 2,31, 55, 172  
 gross 143, 172  
 insufficient supply 267  
 losses 3,143  
 faecal 144  
 urinary and gaseous 145, 146  
 maintenance 28, 37, 40, 59,  
 151-154, 166, 275  
 metabolizable 29, 119-122, 143,  
 145, 261  
 partitioning 155  
 systems 143, 145, 147-148, 157  
 classical 147  
 digestible 143  
 effective 28, 43-44, 147, 153  
 metabolizable 143  
 net 143  
 transactions, stoichiometry of 148
- environment  
 macro- and micro- 189  
 spatial and temporal variation 188  
 thermal 35, 37, 48, 56, 210-218,  
 306, 315, 320

- environmental factors  
 air velocity 4, 54, 190-191, 198-200,  
 213, 215, 221  
 ambient temperature 35, 43, 48, 54,  
 170, 213, 220  
*see also* temperature  
 environmental stressors 54-70, 117,  
 163, 210, 214  
 environmental objectives 308  
 exposure to pathogens 71, 126-127,  
 129, 136
- faecal energy losses 144  
 fasting heat production (FHP) 28, 146,  
 282
- fat  
 content 26  
 deposition 26, 33-34, 37  
 growth 25-27, 32, 35  
 reserves 26  
 synthesis 284, 287, 290, 298  
*see also* carcass; lipid  
 fatness, inherent 24  
 fatty acids 18-19, 144, 149-151,  
 288-293, 297, 299
- feather  
 coat 90, 190, 193  
 density score 85  
 growth, rate of 81, 85, 88-90  
 total score 85
- feathering rate  
 multiplier 88  
 non-linear effect on variation 91
- feed  
 costs 77  
 formulation 78, 83, 99, 108-110  
 pelleted 84  
 variation in chemical and physical  
 nature 84  
*see also* feeding
- feeding  
*ad libitum* 44-45, 117, 125, 310,  
 317-319  
 choice 46  
 costs 77-78, 92-94  
 restricted 170, 317  
*see also* feed
- feed intake  
 constrained 31, 89  
 desired 28
- fibre (crude) 27, 31, 144-147  
 floor type 54  
 follicle maturation 230-235  
 follicular hierarchy 238, 245, 255  
 foods  
 energy limiting 119, 120-123  
 protein-adequate 121  
 protein limiting 122, 125  
 fractal analysis 212  
 fractional anabolic and catabolic rates  
 156  
 fuzzy logic 98-100, 211
- genetic  
 algorithms 103, 107, 313-314, 317  
 factors 273  
 parameters 62, 64, 70, 81, 85,  
 87-94, 183, 266-277  
 potential 23, 67, 79, 163, 166, 178,  
 185  
 gluconeogenesis 10, 150, 285, 290, 295  
 glucose 18-19, 144, 148-152, 287-303  
 growth  
 ash 27  
 compensatory 26, 34  
 fat (lipid) 25-27, 32-35, 178  
 feather 81, 88  
 homeorhetic and homeostatic  
 control 156-157, 289, 294  
 moisture 27  
 parameters 25, 65, 68  
 potential rate of 23, 25, 31, 165, 169  
 protein 24-29, 38, 39, 49, 80-83,  
 91, 130, 165, 266
- gut capacity 23, 33, 43, 49
- health  
 status 22-23, 27-28, 39-42, 49  
 and welfare objectives 308
- heat  
 exchange 188, 190-193, 205,  
 212-216, 219, 222  
 conduction 191, 215  
 convection 82, 191, 192, 215  
 radiation 191  
 physiology of 188  
 increment of feeding 8,146-147,  
 150-152, 158, 285, 297  
 production 145  
 stress 85, 197, 212, 215, 221

- heat loss 35-38, 212, 215  
 evaporative (latent) 35-36,  
 192-194, 202-204, 206  
 from Dumbo 212  
 sensible (non-evaporative) 36-37,  
 191, 193, 204, 215, 228  
 heritability 70, 85, 165, 179, 181, 287,  
 292-293  
 hierarchy of organizational levels 8  
 homeostatic and homeorhetic controls  
 156  
 homeothermic animals 188-192  
 housing 45, 210-211, 215, 310, 320  
 hypothermia 212, 221-222
- ideal protein 130-133, 170  
 intake 118-119, 125, 131  
 requirement 30-31, 128  
 immune response 71, 126-139  
 acquired 126, 129, 135  
 variation in 71  
 immunity 126-135  
 maintenance of 129  
 rate of acquiring 135  
 infectious 17, 54, 71  
 environment 54  
 stressors 71  
 initial weight 88  
 innate immunity and repair 127-128  
 integrated control systems 211  
 integrated management systems (IMS)  
 305-308, 318-321  
 internal cycle length 237-241,  
 253-254  
 isothermal net radiation 190-204
- Kalman filter 103-108
- lactating sow 18, 286, 290  
 lactation 19, 108, 284-298  
 lactation curve 108, 293  
 lactose 17-19, 290, 294-295  
 synthesis 19, 290, 299  
 laying hen 2, 79-80, 92, 104, 111, 257  
*see also egg*  
 linear programming (LP) 2, 12, 77, 99,  
 108-110, 313  
 linear search algorithm 313, 320
- lipid:protein ratio at maturity (LPRm)  
 24-26, 43-48, 85, 88-92
- lipid  
 deposition 46, 147-156, 166, 172,  
 261, 270, 275-278  
 growth 26, 34, 178  
 metabolism 151, 297  
 protein ratio, minimum 27, 118,  
 155, 171, 174, 272  
 lipogenesis 151, 285, 290, 293  
 lipolysis 285, 290, 293-295  
 lipoproteins 289  
 litter size 297  
 liver 145, 150, 297  
 livestock houses 211  
 logistic growth curve 230
- maintenance  
 activity component 28, 37, 40-41,  
 59-63, 154, 320  
 requirement 119, 169, 272, 309  
 amino acids 125  
 disease/immunity 39, 127, 129  
 energy 38, 40-41, 155  
 support costs 153  
 mammary gland 18, 289-290,  
 294-296, 299  
 marginal response in PR on energy  
 limiting foods  
 effect of genotype 121  
 effect of liveweight 120  
 effect of temperature 121  
 mature body protein (Pm) 24-25, 266,  
 277  
 maximum lipid in gain 88  
 meat quality 22, 307-308  
 metabolic body size 293  
 metabolism 148, 150-154, 276,  
 282-299  
 metabolisable energy (ME)  
 content 29, 121, 145  
 intake 119, 120  
 requirement for maintenance 119,  
 261  
 system 143  
 milk 18  
 production 295-299  
 synthesis 17-19, 290, 295-298  
 minerals 84, 104

- model  
 application of 2, 10, 14, 22, 79, 98,  
 165, 263  
 Bristol-Reading 237  
 deterministic 14, 99, 171, 209, 260,  
 311  
 dynamic 14, 101, 169, 202, 209,  
 212, 285, 298  
 economic 2, 308  
 empirical 4, 9-10, 15, 20, 97-103,  
 163, 230, 282, 311-314  
 examples 1  
 inversion 165  
 by optimization 167  
 laying hen  
 linear multiple regression 12  
 metabolic flux 286, 289  
 mixture 104  
 Reading 79  
 sow 297-299  
 stochastic 64, 79, 97-101, 109, 168,  
 178, 212, 230, 236, 311  
 teleonomic 9  
 thermal balance 212  
*see also requirement response*
- modelling  
 progress in 19  
 physiological response 217  
 mortality 83, 218, 222
- neutral detergent fibre (NDF) 144
- nitrogen  
 balance techniques 145  
 excretion 145, 147  
 retention 29, 147  
*see also protein*
- nursery pigs 43, 44
- nutrient  
 absorption 10  
 content, variation in 83-84, 109  
 density 33, 43, 77-78  
 partitioning 15, 23, 126, 130  
 requirements 3, 22, 71, 109, 118,  
 257, 283  
 specifications 2  
 utilization 10, 79, 297, 306, 311
- nutritional status 294
- objective function 13-14, 78, 184, 210
- operations research 12, 103-108, 110
- optimization  
 algorithm 176  
 criteria in model inversion 176  
 pig production strategies 64
- optimum (optimal)  
 amino acid content in feed 77-92  
 feeding programme 77-82, 93  
 nutrient density 77  
 production environment 212  
 thermal micro-environment  
 210-213, 216
- ovarian follicle 229, 232
- oviposition time 240-243, 255-256
- ovulation  
 internal 236, 244-245, 254-257  
 rate 230, 234-243, 254-256
- ovulatory cycle 229-235, 240-241, 254
- partitioning  
 nutrients 23, 155, 318  
 of nutrients during disease 126  
 of scarce food resources 117  
 immune pigs 129  
 naïve pigs 129
- pathogen  
 challenge 117, 126-136  
 virulence of 129
- phase-shift 241
- photoperiodic control 230
- piglets 46, 51
- pigs per pen 62
- pollution control 318
- populations 71, 79, 92, 126, 311  
 correlated distributions 85
- Predicted Mean Vote (PMV) 214
- prime sequence length 238, 253-254
- programming  
 chance constrained 99, 109-110  
 compromise 14  
 goal 14, 110  
 linear 2, 12, 77, 83, 99, 108-110  
 parametric 14  
 quadratic 110  
 separable 14
- protein  
 deaminated 29, 145, 148, 152  
 deposition rate 25, 152, 261  
 maximum 265
- losses  
 endogenous gut 29  
 integument 29, 30  
 maintenance protein 30

- protein *continued*  
 synthesis 152-153, 287-290  
 turnover 29, 152, 154, 178, 285, 297  
*see also* carcass, feedstuff, nitrogen  
 quadratic programming 110, 209
- radiation increment 198, 199, 203  
 radio-telemetric systems 217  
 rate of maturing (B) 24, 25, 39, 80, 81  
 rate:state formalism 12, 14, 16, 19  
 reductionist approach 100  
 regression analysis 103-105  
 reproductive performance 210, 299  
 respiratory tract 204  
 response  
   curvilinear-plateau, of population 66  
   homeostatic 217  
   immune 71, 126-139  
   linear-plateau 66  
   mean population 65  
   of a system 9, 15  
   to an LH surge 232  
   to environmental constraints 38  
   to light 257  
   to stressors 65-72  
 revised simplex algorithm 312-317  
 Richards function 266
- sensitivity analysis 88, 174  
 sensor systems 308-309, 320-321  
 sequence length, mean 253-254, 256  
 simulation, stochastic 76  
 social environment 23, 38, 49, 62, 64, 71, 315  
 social dominance 64  
 social stressors 54-72  
   ability to cope, genetic differences 54, 61-72, 133-134, 165  
   effect on performance 56-57  
   feeder space allowance 54, 59, 70-71  
   group size 54-75, 315  
   mixing 54, 58, 60-71  
   space allowance 54, 57-71  
 starch 121, 144, 146-151  
 state, current 23, 25, 63, 81, 156  
 stoichiometry 145, 147-153, 158-159, 286, 298  
 stocking density 23, 38-39, 81-82
- stress  
 cold 215, 221-222  
 effect on performance 55, 61  
 heat 212-215, 220, 224  
 in group housing 38  
 subclinical infection 117, 127  
 substrate sensitivity 290-297  
 sugars 144, 146  
 support costs for maintenance 153  
 surface wetting 221  
 synthesis  
   milk fat and lactose 17  
 systems approach 159, 301
- temperature  
 Apparent Equivalent (AET) 197-198, 201-202, 218  
 deep body 212, 218-222  
 effective 35, 37, 197-200, 204-205, 214, 216  
 humidity index 216  
 standard operating 216
- thermal  
 balance models 212  
 comfort 213-223  
 hygrometric index 197  
 resistance 190-203
- thermoregulation 82, 178, 189, 193-194
- transport  
 animal 215, 217, 221-223  
 environment 215, 217  
 feed 77-78, 83-84  
 nutrient 152-153, 246, 285, 294, 297
- ultrasound 310
- urea  
 excretion 145, 148  
 synthesis 152, 153
- uric acid 145
- uterus 246
- variation  
 between-animal 63-71, 154, 166  
 chemical and physical nature of feed 84  
 feed composition 76, 83-84  
 genetic 62-62, 76, 126, 261-262, 275, 278, 289

- immune response 71  
 non-linear effect, feathering rate 91  
 spatial and temporal, of environment 188  
 within-house 76  
 within-population 166  
 ventilation 35, 82, 211, 215, 222-223, 315  
 Visual Image Analysis (VIA) system 309  
 vocalizations as indicator of welfare 320
- water deposition 261  
 water-holding capacity 32, 58, 60
- weaning, post 40  
 wind chill factor 197  
 welfare 55, 64, 67-69, 210, 217-223, 305, 308, 316, 320  
   breeding for improved, in pigs 69, 286
- yolk  
 double 231, 236, 242, 245-246, 255-257  
 resorption 243  
 weight  
   and age 236, 250, 256  
   prediction 249, 255

# Mechanistic Modelling in Pig & Poultry Production

Edited by  
R.M. Gous, T.R. Morris and C. Fisher

*Mechanistic Modelling in Pig and Poultry Production* brings together the most recent academic writings by international contributors on modelling concepts and the problems and applications of models. It explores the development, usefulness and limitations of models in pig and poultry production and includes chapters on description of growth and feed intake, modelling social systems and disease effects, nutrient flow models, energy transactions and energy feed systems, optimization of broiler nutrition and modelling egg production in laying hens. It will be of significant interest to researchers and postgraduates in animal and poultry science as well as those working within the animal production industry.

Also available from CABI

**Applied Nutrition for Young Pigs**

I. Mavromichalis  
2006 c. 304 pages ISBN 1 84593 067 3

**Digestive Physiology of Pigs**

Edited by J.E. Lindberg and B. Ogle  
2001 476 pages ISBN 0 85199 517 9

**Social Behaviour in Farm Animals**

Edited by L. Keeling and H. Gonyou  
2001 432 pages ISBN 0 85199 397 4

**The Genetics of the Pig**

Edited by M.F. Rothschild and A. Ruvinsky  
1998 640 pages ISBN 1 85199 229 3

For further information on these titles and other publications, see our website at  
[www.cabi.org](http://www.cabi.org)

**CABI Head Office**

Nosworthy Way, Wallingford, Oxfordshire, OX10 8DE, UK

**CABI North American Office**

875 Massachusetts Avenue, 7th Floor, Cambridge, MA 02139, USA

Cover illustration by Marianne Hundley

ISBN 1-8459-3070-3



9 781845 930707